

Primerjava izdelkov



	HP PageWide 377dw Multifunction Printer (J9V80B)	HP PageWide Pro 477dw Multifunction Printer (D3Q20B)
Ime izdelka	HP PageWide 377dw Multifunction Printer (J9V80B)	HP PageWide Pro 477dw Multifunction Printer (D3Q20B)
List Price	490,44 €	756,40 €
Funkcije	Print, copy, scan, fax	Print, copy, scan, fax
Hitrost črno-belega tiskanja (ISO)	Up to 30 ppm	Up to 40 ppm
Hitrost barvnega tiskanja (ISO)	Up to 30 ppm	Up to 40 ppm
Hitrost črno-belega tiskanja (osnutek, A4)	Up to 45 ppm	Up to 55 ppm
Hitrost barvnega tiskanja (osnutek, A4)	Up to 45 ppm	Up to 55 ppm
Čas, potreben za izpis prve črno-bele strani (A4, naprava v pripravljenosti)	As fast as 7 sec	As fast as 6.5 sec
Prva natisnjena barvna stran (A4, naprava v pripravljenosti)	As fast as 7.5 sec	As fast as 7 sec
Delovna obremenitev (mesečno, A4)	Up to 40,000 pages ³	Up to 50,000 pages ³
Priporočeno število strani na mesec	500 to 3,000 ⁴	750 to 4,500 ⁴
Tehnologija tiskanja	HP PageWide Technology with pigmented inks	
Kakovost črno-belega tiskanja (najboljša)	Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on unspecified plain paper, HP Premium Presentation Matte, and HP Brochure Matte)	Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on unspecified plain paper, HP Premium Presentation Matte, and HP Brochure Matte)
Kakovost barvnega tiskanja (najboljša)	Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)	Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)
Jeziki tiskanja	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation
Število tiskalnih kartuš	4 (1 each black, cyan, magenta, yellow)	4 (1 each black, cyan, magenta, yellow)
Vrste črnila	Pigment-based (black and colour)	Pigment-based (black and colour)
Združljivo z Mac-om	Yes	Yes
Hitrost procesorja	1.2 GHz	1.2 GHz
Prikaz	10.92 cm (4.3") CGD (Colour Graphic Display), IR touchscreen	10.92 cm (4.3") CGD (Colour Graphic Display), IR touchscreen
Funkcija HP ePrint	Yes	Yes
Možnost mobilnega tiskanja	HP ePrint; Apple AirPrint™; Mopria™-certified; NFC Touch-to-print; Wireless Direct Printing; Google Cloud Print 2.0; Mobile Apps; HP Print Service Plug-in	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Google Cloud Print 2.0; Mobile Apps
Brezžična zmožnost	Yes, built-in Wi-Fi 802.11b/g/n	Yes, built-in Wi-Fi 802.11b/g/n
Povezljivost, standardno	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 2 RJ-11 modem port/phone line	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 2 RJ-11 modem port/phone line; 802.11 b/g/n Station; 802.11 b/g Access Point

Povezljivost, izbirno	Support the following external Jetdirect servers; Print only: HP Jetdirect en1700 External Print Server (J7988G), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 & 3.0 Peripherals (J7942G), HP Jetdirect ew2400 802.11b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100Base-TX, 802.11b/g) (J7951G), HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple Airport TimeCapsule; Wi-Fi Direct	Support the following external Jetdirect servers; Print only: HP Jetdirect en1700 External Print Server (J7988G), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 & 3.0 Peripherals (J7942G), HP Jetdirect ew2400 802.11b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100Base-TX, 802.11b/g) (J7951G), HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple Airport TimeCapsule; Wi-Fi Direct
Pripravljen za omrežje		Standard (built-in Ethernet and WiFi 802.11b/g/n)
Pomnilnik, standardno	768 MB	768 MB
Pomnilnik, največ	768 MB	768 MB
Združljivost s spominsko kartico	None	None
Vhodna kapaciteta	Up to 500 sheets	Up to 500 sheets
Največja vhodna kapaciteta (listi)	Up to 1050 sheets	Up to 1050 sheets
Izhodna kapaciteta	Up to 300 sheets	Up to 300 sheets
Največja izhodna kapaciteta (listi)	Up to 300 sheets	Up to 300 sheets
Obojestransko tiskanje	Automatic (standard)	Automatic (standard)
Pladnji za papir, standardno	2	2
Pladnji za papir, največ	Up to 3	Up to 3
Podajnik kuvert	No	No
Zmogljivost vnosa ovojnic	Up to 37 envelopes	Up to 37 envelopes
Podprte velikosti medijev	Tray 1: Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (JIS), envelopes (B5, C5, DL); Tray 3: A4, A5, B5 (JIS)	Tray 1: Oficio, A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (JIS), envelopes (DL, B5, C5); Tray 3: A4, A5, B5 (JIS)
Velikosti medijev, po meri	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm
Vrste medijev	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)
Teže medijev, podprte	Tray 1: 60 to 120 g/m ² (plain paper), 125 to 300 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Tray 2: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Tray 3: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card)	Tray 1: 60 to 120 g/m ² (plain paper), 125 to 300 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Tray 2: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 75 to 90 g/m ² (envelope), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card); Tray 3: 60 to 120 g/m ² (plain paper), 125 to 250 g/m ² (photo), 120 to 180 g/m ² (brochure), 163 to 200 g/m ² (card)
Vrsta optičnega bralnika	Flatbed, ADF	Flatbed, ADF
Ločljivost optičnega branja, strojna oprema	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi
Ločljivost optičnega branja, optično	Up to 1200 dpi	Up to 1200 dpi
Velikost skeniranja, največja	216 x 356 mm	216 x 356 mm
Zmogljivost samodejnega podajalnika dokumentov	Standard, 50 sheets	Standard, 50 sheets

Standardne funkcije za digitalno pošiljanje	Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication	Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication
Hitrost črno-belega kopiranja (osnutek, A4)	Up to 45 cpm ⁵	Up to 55 cpm ⁵
Hitrost barvnega kopiranja (osnutek, A4)	Up to 45 cpm ⁵	Up to 55 cpm ⁵
Ločljivost kopij (črno besedilo)	Up to 600 dpi	Up to 600 dpi
Ločljivost kopij (črno-bele slike)	Up to 600 dpi	Up to 600 dpi
Ločljivost kopiranja (barvno besedilo in grafike)	Up to 600 dpi	Up to 600 dpi
Nastavitve za zmanjšanje/povečanje kopiranja	25 to 400%	25 to 400%
Kopije, največ	Up to 99 copies	Up to 99 copies
Nastavitve kopiranja	ID copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray selection; Collate; Binding margin; Copy preview with crop and resize; Enhancements; Enable/Disable copy; Enable/Disable copy colour; Colour Access Control; Native authorization & authentication; Set as new defaults	ID copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray selection; Collate; Binding margin; Copy preview with crop and resize; Enhancements; Enable/Disable copy; Enable/Disable copy colour; Colour Access Control; Native authorization & authentication; Set as new defaults
Hitrost prenosa faksov	4 sec per page	4 sec per page
Pomnilnik faksa	Up to 100 pages (black and white); Up to 8 pages (colour)	Up to 100 pages (black and white); Up to 8 pages (colour)
Ločljivost faksiranja	300 x 300 dpi	300 x 300 dpi
Tipke za hitro izbiranje, največje število	Up to 99 numbers	Up to 199 numbers
Ovira za neželene fakse	Yes, requires Caller ID	Yes, requires Caller ID
Posredovanje faksov	Yes	Yes
Podpora za računalniški vmesnik	Yes, HP Software support provided	Yes, HP Software support provided
Napajanje	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)
Vrsta napajanja	Built-in power supply	Built-in power supply
Poraba energije	100 watts (maximum), 70 watts average (printing), 9.5 watts (ready), 4.5 watts (sleep), 0.2 watts (manual-off) ⁹	100 watts (maximum), 70 watts average (printing), 10 watts (ready), 4.8 watts (sleep), 0.2 watts (manual-off) ⁹
Energetska učinkovitost	ENERGY STAR® certified	ENERGY STAR® qualified
Potrdilo ENERGY STAR®	Yes	Yes
Najmanjše mere (Š x G x V)	530 x 407 x 467 mm	530 x 407 x 467 mm
Največje dimenzije (Š x G x V)	802 x 694 x 485 mm	802 x 694 x 467 mm
Teža	22.15 kg	22.15 kg
Številka UPC		(A80) 889296726197; (ABT) 889296726210; (ACQ) 889296726227; (BHG) 889296726203
Velikost paketa (Š x G x V)	600 x 495 x 594 mm	600 x 495 x 594 mm
Teža paketa	26.39 Kg	26.39 Kg
Dimenzije palete (Š x G x V)		1219 x 1016 x 2503 mm
Teža palete		443 kg

HP PageWide 377dw Multifunction Printer (J9V80B)

- ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see <http://www.hp.com/go/printerclaims>.
- Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- Speed specifications have been updated to reflect current industry testing methods.
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption in Sleep modes depends on customer network switch capability, user configuration and network activity.

HP PageWide Pro 477dw Multifunction Printer (D3Q20B)

- ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see <http://www.hp.com/go/printerclaims>.
- Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- Speed specifications have been updated to reflect current industry testing methods.
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption in Sleep modes depends on customer network switch capability, user configuration and network activity.

Izdelek se lahko razlikuje od prikazanih slik. © Copyright 2015 HP Inc. Informacije v tem dokumentu se lahko spremenijo brez predhodnega obvestila. Edine garancije za HP-jeve izdelke in storitve so opisane v posebnih garancijskih izjavah, ki so priložene izdelkom in storitvam. Vsebine si ne razlagajte kot dodatno garancijo. HP ne prevzema nobene odgovornosti.