

# PIXMA TS5340

## CHIC 3-IN-1

### FOR THE SMARTPHONE SAVVY

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.



- Style credentials**  
 An ultra-cool 2-tone colour scheme and a chic minimalist design with LED status bar give this printer some solid style points
- There's an app for that**  
 Print, scan, copy and connect to Facebook, Instagram and other cloud\* accounts from your smartphone using the Canon PRINT app, or print app-free with AirPrint (iOS) and Mopria (Android)
- Make it your own**  
 Transform your next project with Easy-PhotoPrint Editor, Creative Park and Message In Print and try out restickable, double-sided matte and iron-on transfer media
- Shareworthy snaps**  
 Get picture-perfect photos with up to 100 years of album life thanks to FINE cartridges and the ChromaLife100 ink system. The 5x5" and 3.5x3.5" media are ideal for social media snaps
- Hassle-free**  
 Get to grips with your printer with easy set-up, a simple 1.44" OLED display and connect all your smart devices at the touch of a button with Wireless Connect



#### PRODUCT RANGE



PIXMA TS8340



PIXMA TS5340



PIXMA TS3340

PIXMA TS6340

PIXMA TS8340

**PIXMA TS5340**

PIXMA TS3340

\* Scan to cloud is only available to genuine Canon ink users



# TECHNICAL SPECIFICATIONS

# PIXMA TS5340

## GENERAL SPECIFICATIONS

|                               |                                                                 |
|-------------------------------|-----------------------------------------------------------------|
| Functions                     | Wi-Fi, Print, Copy, Scan, Cloud                                 |
| <b>PRINTER SPECIFICATIONS</b> |                                                                 |
| Print Resolution              | Up to 4800 <sup>[1]</sup> x 1200 dpi                            |
| Print Technology              | 2 FINE Cartridges (Black and Colour)                            |
| Mono Print Speed              | Approx. 13.0 ipm <sup>[2]</sup>                                 |
| Colour Print Speed            | Approx. 6.8 ipm <sup>[2]</sup>                                  |
| Photo Print Speed             | Borderless 10x15cm : Approx. 43 seconds <sup>[2]</sup>          |
| Borderless Printing           | Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm) |
| Two Sided Printing            | Auto Duplex Print (A4, A5, B5, Letter - plain paper)            |

## CARTRIDGES AND YIELDS

|                               |                                                                                                                                                               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard Ink Cartridges       | PG-460 (Black)<br>CL-461 (Colour)                                                                                                                             |
| Optional XL Ink Cartridges    | PG-460XL (Black)<br>CL-461XL (Colour)                                                                                                                         |
| Cartridge Yield (Plain paper) | A4 colour documents printing <sup>[3]</sup><br>Black: 180 pages<br>Black XL: 400 pages<br>Colour: 180 pages<br>Colour XL: 300 pages                           |
| Ink Tanks Yield (Photo print) | 10x15cm photo <sup>[8]</sup><br>Black: 2152* photos<br>Black XL: 4973* photos<br>Colour: 69 photos<br>Colour XL: 106 photos<br>* Estimated supplemental yield |

## PAPER SUPPORT

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Paper Types         | Plain Paper<br>Canon High Resolution Paper (HR-101N)<br>Canon Pro Platinum (PT-101)<br>Canon Plus Glossy II (PP-201)<br>Canon Pro Luster (LU-101)<br>Canon Plus Semi-gloss (SG-201)<br>Canon "Everyday Use" (GP-501)<br>Canon Matte (MP-101)<br>Envelopes<br>Removable Photo Stickers (RP-101)<br>Magnetic Photo Paper (MG-101)<br>Double sided Matte (MP-101D)<br>Light Fabric Iron-on transfers (LF-101)<br>Dark Fabric Iron-on transfers (DF-101) |
| Maximum Paper Input | Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)<br>Front Cassette: Max. 100 sheets (plain paper)                                                                                                                                                                                                                                                                                                                            |
| Paper Sizes         | Rear Tray: A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13cm/8.9x8.9cm, Envelopes(DL,COM10)<br>[Custom size] width 55mm - 215.9 mm, length 89mm - 676mm<br><br>Front Cassette: A4, A5, B5, LTR<br>[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm                                                                                                                                                                                       |
| Paper Weight        | Rear Tray: Plain paper 64 - 105 g/m <sup>2</sup> , Canon photo paper up to 300 g/m <sup>2</sup><br>Front Cassette: Plain Paper: 64-105 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                              |

## SCANNER SPECIFICATIONS

|                                 |                                                          |
|---------------------------------|----------------------------------------------------------|
| Scanner Type                    | CIS flatbed photo and document scanner                   |
| Scanner Resolution (Optical)    | 1200 x 2400 dpi <sup>[4]</sup>                           |
| Scanning Depth (Input / Output) | Colour: RGB each 16bit/8bit<br>Greyscale: 16 bit / 8 bit |
| Maximum Document Size           | 216 x 297 mm                                             |

## COPIER SPECIFICATIONS

|                |                                                                                                 |
|----------------|-------------------------------------------------------------------------------------------------|
| Copy Speed     | sFCOT: Approx. 4.0 ipm <sup>[5]</sup><br>sESAT: Approx. 20 sec <sup>[5]</sup><br>99 copies max. |
| Multiple Copy  | Document Copying, Photo Copying, 2-sided copy, 2-on-1                                           |
| Copy Functions | 25 - 400% (in 1% increments)<br>Fit to page                                                     |
| Copy Zoom      |                                                                                                 |

## INTERFACE

|                           |                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Display Type & Size       | OLED (1.44 inch)                                                                                                                                                                                                                                                                                                                                                       |
| Display Languages         | 33 Languages Selectable: Japanese/<br>English(mm & inch)/German/French/Italian/<br>Spanish/Dutch/Portuguese/Norwegian/Swedish/<br>Danish/Finnish/Russian/Czech/Hungarian/Polish/<br>Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/<br>Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/<br>Thai/Croatian/Vietnamese |
| Interface Type - PC / Mac | Hi-Speed USB (B Port)<br>Wi-Fi: IEEE802.11 b/g/n<br>Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,<br>Administration password<br>Wireless LAN Frequency Band: 2.4GHz                                                                                                                                                                                                          |
| Interface Type - Other    | Canon PRINT Inkjet/SELPHY app<br>Easy-PhotoPrint Editor<br>Bluetooth<br>Message In Print app<br>PIXMA Cloud Link<br>Canon Print Service Plugin (Android)<br>Google Cloud Print<br>Apple AirPrint<br>Wireless Direct<br>Access Point Mode<br>WLAN PictBridge<br>Mopria (Android)                                                                                        |



# TECHNICAL SPECIFICATIONS

# PIXMA TS5340

## SOFTWARE

### Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1  
Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.  
OS X 10.11.6, macOS 10.12~macOS 10.14

### Supported Mobile Systems

iOS, Android, Windows 10 Mobile

### Minimum System Requirements

Windows: 2.0GB or more  
Mac: 1.0GB or more  
Note: for bundled software installation. The necessary amount of hard disk space required.  
Display: 1024 x 768 XGA

### Software Included

MP Driver including Scanning Utility  
Easy-PhotoPrint Editor (download)

## PHYSICAL FEATURES

### Weight

approx. 6.3 kg

### Dimensions (W x D x H)

approx. 403 x 315 x 148 mm

### Acoustic Noise Levels

approx. 43.5(A)<sup>[6]</sup>

### Recommended Operating Environment

Temperature: 15-30°C  
Humidity: 10-80%RH (no dew condensation)

### Power Source

AC 100-240V, 50/60Hz

### Power Consumption

Off: Approx. 0.3W  
Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off)  
Standby (all ports connected): Approx. 1.7W (scanning lamp is off)  
Time to enter Standby mode: 11min 7sec  
Copying: Approx. 19W<sup>[7]</sup>

## Footnotes

- <sup>[1]</sup> Ink droplets can be placed with a minimum pitch of 1/4800 inch  
<sup>[2]</sup> Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.  
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.  
<sup>[3]</sup> Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.  
<sup>[4]</sup> Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.  
<sup>[5]</sup> Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.  
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.  
<sup>[6]</sup> Acoustic Noise is measured based on ISO7779 standard(colour printing) with default setting.  
<sup>[7]</sup> When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.  
<sup>[8]</sup> Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.

## Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc.  
[canon.com](http://canon.com)  
Canon Europe  
[canon-europe.com](http://canon-europe.com)  
English edition  
Canon Europa NV 2019

## CHIC 3-IN-1 FOR THE SMARTPHONE SAVVY

# PIXMA TS5340

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.

Sales Start Date: Sep 2019



### PRODUCT DETAILS:

| Product Name           | Mercury Code | EAN Code      | Recommended Retail Price |
|------------------------|--------------|---------------|--------------------------|
| PIXMA TS5340 EUR BLACK | 3773C007AA   | 4549292149760 | <Please fill in RRP>     |

### CONSUMABLES:

| Product Name | Mercury Code | EAN Code      | Recommended Retail Price |
|--------------|--------------|---------------|--------------------------|
| PG-460       | 3711C001AA   | 4549292144598 | <Please fill in RRP>     |
| CL-461       | 3729C001AA   | 4549292144987 | <Please fill in RRP>     |
| PG-460XL     | 3710C001AA   | 4549292144574 | <Please fill in RRP>     |
| CL-461XL     | 3728C001AA   | 4549292144963 | <Please fill in RRP>     |

Live for the story\_

## CHIC 3-IN-1 FOR THE SMARTPHONE SAVVY

# PIXMA TS5340

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.



### MEASUREMENT / LOGISTIC INFORMATION:

| Product Name           | Mercury Code | Pack description | Quantity per pack | Length (mm) | Width (mm) | Height (mm) | Gross Weight (kg) | Net Weight (kg) |
|------------------------|--------------|------------------|-------------------|-------------|------------|-------------|-------------------|-----------------|
| PIXMA TS5340 EUR BLACK | 3773C007AA   | Individual       | 1                 | 477         | 223        | 481.5       | 7.7               | TBC             |
|                        |              | Pallet (Upper)   | 20                | 1123        | 962        | 967.5       | 167               | TBC             |
|                        |              | Pallet (Bottom)  | 30                | 1123        | 962        | 1449        | 249               | TBC             |

### What's in the box?

- All-in-one printer – PIXMA TS5340
- FINE cartridges
- Power cord
- Set-up CD-ROM
- Manuals

---

Live for the story\_