

PIXMA PRO-200

YOUR TRUE COLOURS, PRINTED TO PERFECTION

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.



- **Impressive high-quality photographs**
With a superior 8-colour dye-based ink system, you're guaranteed exceptional reproduction, richer colours, and vibrant professional printing, every time.
- **Pick paper that suits you**
With versatile media handling and customisable printing sizes, you can enhance your photographs on a variety of paper including fine art, borderless and panoramic.
- **Quick and easy to use**
The built-in 3-inch LCD display lets you check ink levels, perform printer maintenance, and access printer instructions at a glance – for excellent results with ease.
- **Perfect printing every time**
With 3 paper feed options and auto paper skew correction function, you can bid farewell to misalignment and printing fails, no matter what paper you're using.
- **One seamless process**
Canon's user-friendly PPL software means you can shoot and send photos with ease from popular photography programs for a one-stop edit-to-print experience.



8 Individual Inks



Borderless Photo Printing



3.0" (7.5cm) LCD



Compact size



High-speed printing



Connectivity

PRODUCT RANGE



imagePROGRAF PRO-300



PIXMA PRO-200



PIXMA IP8750
(for EUR regions)

imagePROGRAF PRO-300

PIXMA PRO-200

PIXMA IP8750
(for EUR regions)

PIXMA IP8740
(for MEA regions)

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA PRO-200

Class	13" (A3+)	Photo Paper Plus Glossy II (PP-201)	L/KG(4"x6")/Hagaki/Square(127 mm) = 20 LTR/A3/A4/2L/5"x7"/8"x10" = 10 A3+ = 1
Print Head / Ink Type	Permanent	Photo Paper Glossy (GP-501)	L/KG(4"x6") = 20 LTR/A3/A4/2L = 10 A3+ = 1
Number of Nozzles	Total 6,144 nozzles (Y/M/C/PC/PM/Gy/Bk/LGY each 768 nozzles x 8)	Photo Paper Pro Luster (LU-101)	LTR/A4 /A3 = 10 A3+ = 1
Ink Tank	8-color = Y/M/C/PC/PM/Gy/LGY/BK	Photo Paper Plus Semi-gloss (SG-201)	L/KG(4"x6") = 20 LTR/A4 /A3/5x7/2L/8"x10" = 10 10"x12"/A3+ = 1
Maximum Printing Resolution	4800 (horizontal) ¹ x 2400 (vertical) dpi	Matte Photo Paper (MP-101)	L/KG(4"x6") = 20 LTR/A4 /A3 = 10 A3+ = 1
Print Speed		High Resolution Paper (HR-101N)	LTR/A4/B5 = 80 B4 = 50 A3 = 20 A3+ = 1
Photo (11"x14" image on A3+ with Border)²		T-Shirt Transfer	A4 = 1 20
Color/PT-101	approx.1 m 30s	Hagaki	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
Black/PT-101	approx.2 m 55s	Lightweight Photo Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
Maximum Printable Paper Size		Japanese Paper Washi	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
Top Tray (width)	Top Tray: 322.2mm (12.7 inch), Borderless Printing : 329 mm (A3+)(13 inch)	Canvas	A4 = 100
Manual Feed (width)	Manual Feed: 322.2mm (12.7 inch), Borderless Printing: 329 mm (13 inch)	Red Label Superior 80 g/m2(WOP111)	A4 = 80
Custom (length)	990.60mm (bordered)	Canon Oce Office Colour Paper 80 g/m2(SAT213)	LTR/A4/A3/A3+/LDR/210x594 mm = 1
Printable Area		Heavyweight Fine Art Paper	LTR/A4 = 1
Borderless Printing	Top/Bottom/Right/Left margin: each 0 mm	Light Fabric Iron Transfers (LF-101)	LTR/A4 = 1
Bordered Printing	Top margin: 3 mm, Bottom margin: 5 mm / Left/Right margin: each 3.4 mm (LTR/LGL: Left: 6.4 mm, Right: 6.3 mm) Recommended Top/Bottom/Right/Left margin for Fine Art Paper: each 25 mm	Dark Fabric Iron Transfers (DF 101)	10
Support Media		Envelopes(DL, COM10)	LTR/A4/7"x10" = 1
Top Tray	Plain Paper/ Photo Paper Pro Platinum (PT-101)/Photo Paper Plus Glossy II (PP-201)/ Photo Paper Pro Luster (LU-101)/ Photo Paper Plus Semi-gloss (SG-201)/ Matte Photo Paper (MP-101)/Hagaki/ Lightweight Photo Paper (BOX)/Japanese Paper Washi (BOX)/ Canvas (BOX)/ Red Label Superior 80 g/m2 (WOP111) / Canon Oce Office Colour Paper 80 g/m2(SAT213)/ Heavyweight Fine Art Paper(BOX)/ Inkjet Greeting Card/Cardstock/Photo Paper Plus Glossy II (PP-208), High Resolution Paper (HR-101N), Photo Paper Glossy (GP-501), Envelope, T-Shirt Transfer, Light Fabric Iron Transfers(LF-101),Dark Fabric Iron Transfers (DF 101)	Inkjet Greeting Card	LTR/A4 /12"x12" = 1
Manual Feed	Photo Paper Pro Platinum (PT-101)/Photo Paper Plus Glossy II (PP-201) /Photo Paper Pro Luster (LU-101)/ Photo Paper Plus Semi-gloss (SG-201)/ Matte Photo Paper (MP-101)/ Lightweight Photo Paper (BOX)/ Heavyweight Photo Paper (BOX)/ Japanese Paper Washi (BOX)/ Canvas (BOX)/ Photo Paper Pro Premium Matte (PM-101) / Heavyweight Fine Art Paper (BOX)/ Extra Heavyweight Fine Art Paper (BOX)/Premium Fine Art Rough/Inkjet Greeting Card/Cardstock/Photo Paper Plus Glossy II (PP-208), Photo Paper Glossy (GP-501), Light Fabric Iron Transfers(LF-101), Dark Fabric Iron Transfers (DF 101)	Cardstock	A4/A3=10 4"x6"=20
Multi-purpose Tray	Printable Nail Sticker (NL-101) / Printable Disk	Photo Paper Plus Glossy II (PP-201)	A3/A4/LTR/8"x10" /10"x12"/A3+ = 1
Paper Size	A3+/A3/A4/A5/B4/B5/LTR/LGL/Ledger/Hagaki/7"x10"/12x12	Photo Paper Pro Luster (LU-101)	LTR/A4/A3/A3+ = 1
Top Tray	L(3.5"x5")/KG(4"x6") /2L(5"x7")/8"x10"/10"x12"/ Square(127 mm) /210 x594 mm Custum size(width 89 mm - 329 mm, length 127 mm - 990.6 mm) Envelopes(DL, COM10)	Photo Paper Glossy (GP-501)	LTR/A4/A3/A3+ = 1
Manual Feed	A3+/A3/A4/B4/LTR/LGL/Ledger/12x12 8"x10"/10"x12/210x594 mm Custum size (width 203.2 mm - 330.2 mm, length 254 mm - 990.6 mm)	Photo Paper Plus Semi-gloss (SG-201)	LTR/A4/A3/8"x10" /10"x12"/A3+ = 1
Multi-purpose Tray	120x120 mm	Matte Photo Paper (MP-101)	LTR/A4/A3/A3+ = 1
Paper Size (Borderless)	A3+/A3/A4/LTR/Ledger/Hagaki/7x10/12x12/5x7/L(3.5"x5")/KG(4"x6")/2L(5"x7")/8"x10"/10"x12"/Square(127 mm)/210 x594 mm	Lightweight Photo Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
Paper Handling (Top Tray) (Maximum Number)	LTR/A4/A5/B5 = 100 B4/A3/LGL/LDR = 50	Heavyweight Photo Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
Plain Paper	L/KG(4"x6") = 20 LTR/A3/A4/2L/8"x10" = 10	Japanese Paper Washi	LTR/A4/A3/A3+/LDR/210 x5 94mm = 1
Photo Paper Pro Platinum (PT-101)	10"x12"/A3+ = 1	Canvas	LTR/A4/A3/A3+ = 1
		Photo Paper Pro Premium Matte (PM-101)	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Heavyweight Fine Art Paper	LTR/A4/A3/A3+/LDR/210 x 594 mm = 1
		Extra Heavyweight Fine Art Paper	LTR/A4/A3/A3+ = 1
		Premium Fine Art Rough (FA-RG1)	LTR/A4/12x12 = 1
		Light Fabric Iron Transfers (LF-101)	LTR/A4/12x12 = 1
		Dark Fabric Iron Transfers (DF 101)	LTR/A4/7"x10" = 1
		Inkjet Greeting Card	LTR/A4 /12"x12" = 1
		Cardstock	A4/A3=1
		Photo Paper Plus Glossy II (PP-201)	1 (Multi-purpose Tray)
		Paper Handling (Multi-purpose Tray) (Maximum Number)	Plain Paper: 64-105 g/m ² Canon Genuine paper (maximum): approx. 380 g/m
		Paper Weight	Canon Genuine paper (maximum): approx. 380 g/m, or Paper Thickness 0.1 ~0.6 mm or less
		Top Tray	Dot count Auto/Manual
		Manual Feed	
		Ink End Sensor	
		Print Head Alignment	



TECHNICAL SPECIFICATIONS

PIXMA PRO-200

N/W	
Protocol	SNMP / HTTP/TCP/IP(IPv4/IPv6)
Wired LAN	
Network Type	IEEE 802.3 10base-T IEEE 802.3u 100base-TX
Data Rate	10Mbps/100Mbps(Auto switching)
Security	IEEE 802.1x(EAP-TLS/EAP-TTLS/PEAP)
Wireless LAN	
Network Type	IEEE802.11n/IEEE802.11g/IEEE802.11b IEEE802.11a
Frequency Band	2.4GHz / 5GHz
Channel³	2.4GHz: 1-13 (US: 1-11)
Range	Indoor 50 m ※depends on the transmission speed and conditions
Security	WEP (64/128bit) WPA-PSK (TKIP/AES) WPA2-PSK (TKIP/AES)
Direct connection (Wireless LAN)	Available
PRINTING SOLUTIONS	
Canon PRINT Inkjet/SELPHY (for iOS/Android)	Available
Layout	
1-up(borderless⁴)	A4,Letter,A3,A3+,11"x17", Ledger,L,KG(4"x6"), 2L(5"x7"), Square (127"x127"), 7"x10",8"x10",10"x12", B5,A5,Legal,B4
1-up(borderless only)	
AirPrint	Available
Layout	
1-up(borderless⁴)	A4,Letter,A3,A3+,11"x17",Ledger,L,KG(4"x6"),2L(5"x7"), Square (127"x127"), 7"x10",8"x10",10"x12", 12"x 12",210x594, Hagaki
1-up(borderless only)	B5,A5,Legal,B4,Envelopes(DL, COM10), Disk, Custom paper size
Print Quality⁵	Draft/Standard/High
Mopria⁶	Available
Layout	
1-up (borderless⁴)	A4,Letter,A3,A3+,11"x17",Ledger,L,KG(4"x6"),2L(5"x7"), Square (127"x127"), 7"x10",8"x10",10"x 12" (10x 12), 12x 12,210x594, Hagaki
1-up(borderless only)	B5,A5, Legal, B4, Envelopes(DL, COM10), Disk, Custom paper size
Print Quality⁵	Draft/Standard/High
Canon Print Service (for Android)	Available
Windows 10 Mobile	Available
PIXMA Cloud Link	
From smartphone or tablet	Available
Camera Direct Spec.	
Media size	LTR/A4/L/2L(5"x7")/KG (4"x6"/8"x10"/10"x12"/A3/A3+ /Square (127"x127")/Hagaki
Compatible Digital Camera	"PictBridge" compliant digital cameras, camcorders and camera phones
Connecting type	WLAN
File Format	JPEG (Exif ver2.2/2.21/2.3 compliant) ⁷ , PNG
Layout⁸	
1-up(borderless⁴)	Available
1-up(borderless⁹)	Available
Photo Index	Available
Print with shooting information	Available
20-up print with shooting information	Available
35-up contact print	Available
Disc Label	Available ¹⁰
File number & date print	Available ¹¹

GENERAL SPECIFICATIONS

Operation Panel	
Display	3.0 inch/7.5cm LCD(Display Panel, Color)
Language	33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese
Interface	
USB B Port	Hi-Speed USB
PictBridge	
Wireless LAN	Available
Operating Environment¹²	Temperature: 5~35 °C Humidity: 10~90%RH (no dew condensation)
Recommended Environment¹³	Temperature: 15~30 °C Humidity: 10~80%RH (no dew condensation)
Storage Environment	Temperature: 0~40 °C Humidity: 5~95%RH (no dew condensation)
Quiet Mode	Available
Acoustic Noise (PC Print)	
Plain Paper(A4, Color)¹⁴	Approx. 42.5db
Photo Paper Pro Platinum (PT-101) (L,Color,borderless)	Approx. 42.5db
Photo Paper Pro Platinum (PT-101) (4x6,Color,borderless)	Approx. 42.2db
Power	AC 100-240 V 50 /60 Hz
Power Consumption	
Standby (scanning lamp is off) USB connection to PC	Approx 1.0W
OFF	Approx. 0.2W
Printing USB connection to PC	approx 1.6W
Standby (all ports connected, scanning lamp is off)	approx. 2.5W
<EU only - for ErP Lot 26 regulation>	
Time to enter Standby mode <EU only - for ErP Lot 26 regulation>	approx. 3 min
Environment	
Regulation	RoHS (EU, China)*, WEEE (EU)* *To be fixed
Eco-Label	Energy Star* *To be fixed (except for EUR)
Dimension(WxDxH)	
Factory configuration	approx. 639 x 379 x 200 mm
Output/ADF trays extended	approx. 639 x 837 x 416 mm
Weight	approx. 14.1kg
INK TANK	
Ink Model	ChromaLife 100+ Ink Tanks: CLI-65 BK/C/M/Y/GY/PC/PM/LGY
Page yield (4x6" PT-101)¹⁵	Number of 10x15cm photos Black (BK): 860 photos* Grey (GY): 595 photos* Light Grey (LGY): 965 photos* Cyan (C): 482 photos* Photo Cyan (PC): 275 photos Magenta (M): 610 photos* Photo Magenta (PM): 320 photos Yellow (Y): 295 photos * Estimated Supplemental Yield
Page yield (A3+ PT-101)¹⁶	Number of A3+ photos Black (BK): 69 photos* Grey (GY): 96 photos* Light Grey (LGY): 139 photos* Cyan (C): 51 photos Photo Cyan (PC): 59 photos* Magenta (M): 77 photos* Photo Magenta (PM): 54 photos Yellow (Y): 55 photos * Estimated Supplemental Yield



TECHNICAL SPECIFICATIONS

PIXMA PRO-200

Footnotes: -

- [1] Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- [2] Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734.
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- [3] 1-11 in US, CND, LTN, BRA, TW and HK.
- [4] The amount of image extension beyond the paper cannot be adjusted.
- [5] Resolution may be changed between Direct print and printing from PC.
- [6] They are list of papers which the printer is capable of. The paper type printable from Mopria depends on the Mopria's capability.
- [7] Image data taken by DCF (Ver. 1.0/2.0) -compliant digital cameras, camcorders or camera phones and recorded in JPEG (Exif-compliant) format.
- [8] Function depends on the connected digital cameras, camcorders or camera phones.
- [9] Plain paper is printed bordered automatically, regardless of the camera settings.
- [10] Not supported for 'Printable Printable Printable Nail Stickers'.
- [11] Non-support for 2/4/9/16-up in sticker printing as well as date/file number printing in disc label printing.
- [12] The performance of the printer may be reduced under certain temperature and humidity conditions.
- [13] For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
- [14] Acoustic Noise is measured based on ISO7779 standard with default setting.
- [15] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing. Right-click the image on Windows 10 and select "Print" from the menu to print.
- [16] When printing ISO/JIS-SCID N2 test file at 11" x 14" continuously on A3+ PT-101, with the default settings of testing paper using Windows 10 printer driver and Photoshop CC.



Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2020

YOUR TRUE COLOURS, PRINTED TO PERFECTION

PIXMA PRO-200

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.

Sales Start Date: November 2020



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA PRO-200 EUM/EMB	4280C009AA	4549292160611	<Please fill in RRP>

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
CLI-65 BK EUR/OCN	4215C001AA	4549292159226	<Please fill in RRP>
CLI-65 C EUR/OCN	4216C001AA	4549292159257	<Please fill in RRP>
CLI-65 M EUR/OCN	4217C001AA	4549292159288	<Please fill in RRP>
CLI-65 Y EUR/OCN	4218C001AA	4549292159318	<Please fill in RRP>
CLI-65 GY EUR/OCN	4219C001AA	4549292159349	<Please fill in RRP>
CLI-65 PC EUR/OCN	4220C001AA	4549292159370	<Please fill in RRP>
CLI-65 PM EUR/OCN	4221C001AA	4549292159417	<Please fill in RRP>
CLI-65 LGY EUR/OCN	4222C001AA	4549292159448	<Please fill in RRP>

Live for the story_

YOUR TRUE COLOURS, PRINTED TO PERFECTION

PIXMA PRO-200

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA PRO-200 EUM/EMB	4280C009AA	Individual	1	735	473.5	342.5	18.9	14.8
		Pallet (Upper)	6	745	955.5	1032	114.3	88.8
		Pallet (Bottom)	6	745	955.5	1032	114.3	88.8

What's in the box?

- PIXMA PRO-200 EUM/EMB
- Power cord UK type
- Power cord Pan-European type
- CD-Printing Tray
- Setup software & User's manual CD*
*only for Windows
- Users Guide (E-manual)
- European Warranty System (EWS) A3 Leaflet
- Russian Warranty sheet

Canon

Live for the story_