### MAXIFY GX7040

# SMALL DECISIONS, MAXIMUM IMPACT

Ideal for businesses needing high volume, speedy and cost-effective daily colour printing from a compact, feature-packed 4-in-1 with 600-sheet paper capacity, 50-sheet auto-duplex ADF (auto document feeder), and a low Total Cost of Ownership.







### Low costs that stay low

Keep business printing costs down with huge yields of 14,000<sup>1</sup> pages from a set of colour ink bottles or 6,000<sup>1</sup> pages from a black ink bottle. Switch to Economy mode and print up to 1.5 times more pages for even greater savings<sup>3</sup>

### Durable documents – on the double

Harness 4 pigment-based inks to print stand-out business documents with marker and friction resistance. Enjoy pin-sharp print detail at deadline-beating speeds of 24 ipm in black and 15.5 ipm in colour – and get a first print out as quickly as 7 seconds.<sup>2</sup> With dedicated business functions – such as scanning to a USB, email or network folder, or assigning permissions to printer users – managing your printer and document workflow is effortless

### Compact yet highly capable

Make light work of busy schedules with a 50-sheet auto duplex document feeder, 6.9cm colour touch screen, plus a sizeable paper supply of 600 sheets (2 x 250 sheet cassettes and 100 sheet rear feed) that handles diverse media such as glossy, semi-gloss, magnetic sheets and envelopes, and even allows you to print banners up to 1.2m in length

### Maximise efficiency

Take a responsible approach with energy efficient inkjet printing and high yield ink bottles that allow you to print more pages thereby reducing waste. Plus a user-replaceable maintenance cartridge keeps downtime to a minimum, so you're never without your printer when you need it most

### Get connected

Print, scan, copy, and connect to the cloud via the Canon PRINT app and PIXMA Cloud Link, and enjoy device compatibility via AirPrint (iOS) and Mopria (Android). Harness Ethernet connectivity for added security and stability in network environments. And with 2.4GHz and 5GHz dual-band Wi-Fi support, be confident you'll always remain connected



Printing 50-sheet AD













### **PRODUCT RANGE**



Canon MAXIFY GX6040



Canon MAXIFY GX7040



Canon MAXIFY MB5440

Canon MAXIFY GX6040

### Canon MAXIFY GX7040

Canon MAXIFY MB5440 Canon MAXIFY MB5150

Canon MAXIFY iB4140



### Live for the story

### **TECHNICAL SPECIFICATIONS**

### MAXIFY GX7040

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS Print Resolution

Print Margins (min.) Print Technology

Mono Print Speed Colour Print Speed

First Page Out Time (approx.)

Two Sided Printing

Standard Ink Bottles

CONSUMABLES AND INK

Maintenance cartridge Bottle Yield (Plain paper)

PAPER SUPPORT Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS Scanner Type Scanner Resolution (Optical) Scan Speed (ADF) Approx.

Line Scanning Speed

Scanning Depth (Input / Output)

Maximum Document Size

Wi-Fi, Ethernet, Print, Copy, Scan, Fax & Cloud

Up to 600 x 1200 dpi [1]

Top: 3mm, Bottom: 5mm, Left & Right: 3.4mm

1 Print Head Refillable ink tank printer approx 24 0 ipm [2]

approx.15.5 ipm [2] Mono: 7 sec (ready/simplex) [2]

Colour: 8 sec (ready/simplex) [2] Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

GI-46 BK GI-46 C

GI-46 M GI-46 Y

MC-G01(User Replaceable) A4 colour documents printing [3] Black: 6,000 pages (Economy mode 9,000 pages) [4]

Colour: 14,000 pages (Economy mode 21,000 pages) [5]
\* Estimated supplemental yield

Plain Paper

Red Label Superior 80 g/m² (WOP111), Canon Oce Office Colour Paper 80 g/m² (SAT213) Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201)

Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501)

High Resolution Paper (HR-101N).

Envelope,

Photo Paper Plus Semi-gloss (SG-201), Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101)
Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper)

Cassette 1: Max. 250 sheets (plain paper) Cassette 2: Max. 250 sheets (plain paper) ADF: A4, LTR: 50 Sheets, LGL: 10 Sheets

Rear Tray: A4, A5, A6, B5, LTR, LGL, 4"x6" (10 x 15 cm),

5"x7" (13 x 18 cm), 7"x10" (18 x 25 cm), 8"x10" (20 x 25 cm), Square 5"x 5", (127mm x 127mm),

Envelopes (DL, COM10), Custom size (width: 89 mm - 216 mm, length: 127 mm - 1,200 mm) Cassette 1: A5, B5, A4, LTR Cassette 2: A4, LTR

ADF: A4, LTR, LGL

Rear Tray: Plain Paper: 64 g/m<sup>2</sup> - 105 g/m<sup>2</sup> or supported genuine Canon papers

Canon paper: Max. paper weight Approx. 275 g/m<sup>2</sup> (Photo Paper Plus Glossy II (PP-201)

Cassette 1: Plain Paper: 64 g/m² - 105 g/m² Cassette 2: Plain Paper: 64 g/m² - 105 g/m²

Flatbed (D-ADF / Platen) CIS colour scanner

1,200 x 1,200 dpi [6] Duplex. 23.2 ipm Colour Duplex. 22.6 ipm Black [23]

Simplex. 22.1 ipm Colour [23] Simplex. 22.1 ipm Black [23] Colour: 1.4 ms/line (300 dpi) Greyscale: 1.4 ms/line (300 dpi) [7]

Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit

Platen: A4/Letter (216 x 297 mm) ADF: A4/Letter/Legal (216 x 356 mm) COPIER SPECIFICATIONS

Copy Speed

Copy quality Intensity adjustment Multiple Copy Copy Functions

Copy Zoom

FAX SPECIFICATIONS Fax Type

Fax Resolution

Transmission Speed

Modem Speed Print Size Fax Memory Automatic Dialing

GENERAL Display Display Languages

Standard Interface

Mobile Apps (iOS®/ ANDROID™) Printer Features

Smart Assistant & Automation Support OS Compatibility

Minimum System Requirements

Software Included

sFCOT (colour): Approx. 12 sec [8 sFCOT (colour): Approx. 12 sec <sup>1-7</sup> sESAT (colour): Approx. 12.7 ipm <sup>[8]</sup> ESAT/Simplex ADF (colour): Approx. 12.2 ipm <sup>[8]</sup> ESAT/Simplex ADF (black): Approx. 22.2 ipm

3 levels (Economy, Standard, High)

9 levels (automatic adjustment available, AE copy)

99 copies (max.)

Document Copying, Two-Sided Copy, 2-on-1 and 4-on-1 copy, Collated Copy (ADF only), Frame erase copy

(Flatbed only), ID copy 25 - 400%

Fit to page

A5 to A4. B5 to A4. A4 to A5 and A4 to B5

Super G3 / Colour

Mono: 8pels/mm x 3.85 lines/mm(Standard) 8pels/mm x 7.7 lines/mm(Fine) 300 dpi x 300 dpi (Extra Fine)

Colour: 200 x 200 dpi Mono: approx. 3 sec. [21] Colour: approx. 1 min. [21]

maximum 33.6 kbps (Automatic fall back)

A4. LTR. LGL

Approx. 250 pages [22]

Coded Speed Dialing: Max. 100 locations Group Dialing: Max. 99 locations

2 7" / 6.9cm LCD (Touch Screen, Color)

33 Languages Selectable: Japanese, English (mm & inch), German, French, Italian, Spanish, Portuguese, Dutch, Danish, Norwegian, Swedish, Finnish, Russian, Ukrainian, Polish, Czech, Slovenian, Hungarian, Slovakian, Croatian, Romanian, Bulgarian, Turkey, Greek, Estonian, Latvian, Lithuanian, Simplified Chinese, Korean,

Traditional Chinese, Thai, Indonesia, Vietnamese

Hi-Speed USB (B Port)

Wi-Fi: IEEE802.11 b/g/n/a <sup>[9]</sup>
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,

Administration password Wireless LAN Frequency Band: 2.4GHz, 5GHz

Canon PRINT Inkjet/SELPHY app [10] Easy-PhotoPrint Editor app Easy-PhotoPrint Editor Software [ PIXMA Cloud Link (print) [1

Canon Print Service Plugin (Android) [12]
Apple AirPrint [13] Apple AirPrint Wireless Direct [14]
Mopria (Android) [15] Amazon Alexa™ [16]

Google Assistant™ [16] Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-

installed Windows 7 or later.
Driver and IJ Printer Assistant Tool only: Windows Server

2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Display environment: XGA 1024 x 768 or more

Mac: OS X 10.12.6 ~ macOS 10.15, macOS 11>

Chrome OS

Mobile Operating Systems: iOS®, iPadOS, Android  $^{\text{TM}^{[17]}}$ 

Windows: 1.5GB or more

Note: for bundled software installation. The necessary amount of hard disk space required.

Printer Driver

IJ Printer Assistant Tool Easy-PhotoPrint Editor (download)



### **TECHNICAL SPECIFICATIONS**

### MAXIFY GX7040

### PHYSICAL FEATURES

Weight

Dimensions (W x D x H) With the travs retracted: Dimensions (W x D x H) With Acoustic Noise Levels Operating Temperature Operating Humidity Power Source

Power Consumption

**Duty Cycle** 

Approx. 399 x 645 x 387 mm approx. 49.0dB(A) [18] 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz up to 45,000 pages Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.9W

Time to enter Standby mode: 5minutes Copying: Approx. 23W [19] \*The wait time for standby cannot be changed (Lot26) 0.15 kWh [20]

Standby (all ports connected): Approx. 1.5W

Typical Electricity Consumption

#### Footnote:

[1] Ink droplets can be placed with a pitch of 1/600 inch at minimum.

approx. 13 kg

Approx. 399 x 410 x 314 mm

- A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
   Page Yield is the estimated value based on Canon individual test method
- using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- [4] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed
- [5] The economy mode reduces the ink consumption by lowering the density,
- 50% more pages than the standard mode can be printed

  [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [7] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- [8] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC24735. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warmina up time.
- (9) Wireless printing requires a working network with wireless 802.11b/g/n/ac or ad capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- [10] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- Service. Certain exceptions may apply.

  In The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for tree on the App. Store and at Cocale Play Compatible with iteral Aid for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 Land Generation), Inda Mini 4 and Inhone 6s of later devices running IOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data

#### Footnote:

- [12] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- [13] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [15] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [14] Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- [17] Some functions may not be available with these Operating Systems, Please refer to the manual or website for details.
- [18] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- [19] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [20] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- [21] Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet.
- Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.
- [22] Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.
- [23] ADF scan speeds are the average of scESAT30secA in "ADF Productivitiv Measurement" test, ISO/IEC 17991:2015. When scanning or copying a certain volume of documents (approx. 150 sheets in default settings) continuously from the ADF, the printer may switch to "waiting mode" in which paper feeding stops for several tens of seconds after each scan to prohibit overheating the ADF.

### Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2021

## SMALL DECISIONS, MAXIMUM IMPACT

### MAXIFY GX7040

Ideal for businesses needing high volume, speedy and costeffective daily colour printing from a compact, feature-packed 4-in-1 with 600-sheet paper capacity, 50-sheet auto-duplex ADF (auto document feeder), and a low Total Cost of Ownership.

Sales Start Date: April 2021



#### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
MAXIFY GX7040	4471C009AA	4549292173635	<please fill="" in="" rrp=""></please>

#### CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price					
Standard size								
GI-46BK	4411C001	4549292168952	<please fill="" in="" rrp=""></please>					
GI-46C	4427C001	4549292168976	<please fill="" in="" rrp=""></please>					
GI-46M	4428C001	4549292168990	<please fill="" in="" rrp=""></please>					
GI-46Y	4429C001	4549292169010	<please fill="" in="" rrp=""></please>					
Maintenance Cartridge								
MC-G01	4628C001AA	4549292173710	<please fill="" in="" rrp=""></please>					

### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
MAXIFY GX7040	4471C009AA	Individual	1	568	489	412	18	TBC
		Pallet (Upper)	8	1134	986	828.5	145.50	TBC
		Pallet (Bottom)	12	1134	986	1240.5	217.6	TBC

### What's in the box?

- Canon MAXIFY GX7040
- Power cord
- 4 high-yield ink bottles (1x Black and 1x C/M/Y)
- Setup software & User's manual CD
- Manuals and other documents

