# PIXMA G540 WHEN YOU NEED PHOTO QUALITY AND QUANTITY, PRINT ON!

The Canon PIXMA G540 is aimed at small businesses, photo studios and home users; it offers high-quality photo printing with low maintenance and low total cost of ownership.

### PRINT ONLY



### See the difference

Six dye-based inks offer enhanced photo print quality, and the addition of red and grey inks increases colour vibrancy and contrast, and ensures no colour shift regardless of what photo media you're using

### Pump up the volume

High-volume ink tanks enable incredibly high page yields\* – one set of bottles can print around 3,800 4x6 photo prints, meaning fewer bottle refills

### Designed for simplicity

Front-facing ink tanks make it easy to monitor ink levels, nonsqueeze ink bottles and key-type nozzles make refills hassle-free, and the 2 Line LCD is easy to navigate

### Do-it-yourself maintenance

With a user-replaceable print head and maintenance tank you'll experience minimal downtime, and the Auto Power On/Off function will contribute to energy saving

### WiFi connectivity

Print from your phone or tablet using the Canon PRINT App, Mopria or AirPrint, or use WiFi to connect to your PC, laptop or Canon WiFi-enabled camera









Replaceable ink maintenance cartridge





### PRODUCT RANGE



PIXMA G640



### PIXMA G540





## TECHNICAL SPECIFICATIONS

## **PIXMA** G540

GENERAL SPECIFICATIONS		GENERAL	
Functions	Wi-Fi, Print & Cloud	Display	Full Dot LCD (Monochrome)
		Standard Interface	Hi-Speed USB (USB B Port)
PRINTER SPECIFICATIONS			Wi-Fi: IEEE802.11 b/g/n <sup>[11]</sup> Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
Print Resolution	Up to 4800 x 1200 dpi <sup>[1]</sup>		Administration password
Print Technology	2 FINE Print Heads (Left : BK/R/Gy, Right : C/M/Y) Refillable ink tank printer		Wireless LAN Frequency Band: 2.4 GHz PictBridge Wi-Fi <sup>[22]</sup>
Mono Print Speed	approx. 3.9 ipm	Mobile Apps	Canon PRINT Inkjet/SELPHY app <sup>[14]</sup>
Colour Print Speed	approx. 3.9 ipm <sup>[2]</sup>	(iOS®/ ANDROID™)	Creative Park app
Photo Print Speed	Borderless 4" x 6" (10x15cm) : Approx. 47 seconds [3]		Easy-PhotoPrint Editor app <sup>[21]</sup>
Borderless Printing	Yes A4, LTR, 4" x 6" (10x15cm), 5" x 7" (13x18cm),	Printer Features	Easy-PhotoPrint Editor Software <sup>[21]</sup> PIXMA Cloud Link (print - from smartphone or
	7" x 10" (18x25cm), 8" x 10" (20x25cm),		tablet only) [14]
	Square 5" x 5" (127mm x 127mm),		Canon Print Service Plugin (Android) <sup>[24]</sup>
	Square 3.5" x 3.5" (89 mm x 89 mm), Card Size 55mm x 91 mm (2.17" x 3.58") <sup>[15]</sup>		Apple AirPrint <sup>[12]</sup> Wireless Direct <sup>[16]</sup>
Two Sided Printing	Manual operation		Mopria (Android) [13]
		Smart Assistant & Automation	Amazon Alexa <sup>™ [20]</sup>
CONSUMABLES AND YIELDS		Support	Google Assistant™ <sup>[20]</sup>
Standard Ink Bottles	GI-43 <bk></bk>	OS Compatibility	Windows 10, Windows 8.1, Windows 7 SP1
	GI-43 <c></c>		Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Printer driver and IJ
	GI-43 <m></m>		Printer Assistant Tool are available with following OS.
	GI-43 <y> GI-43 <r></r></y>		Windows Server 2008 R2 SP1, Windows Server
	GI-43 <gy></gy>		2012 R2, Windows Server 2016, Windows Server 2019
Bottle Yield (Plain paper)	A4 colour documents printing <sup>[4]</sup> Black: 3,700 pages <sup>[19]</sup>		Mac: OS X 10.12.6 ~ macOS 10.15
	Colour: 8,000 pages * Estimated supplemental yield		Chrome OS
Bottle Yield (Photo print)	4" x 6" (10x15cm) colour photo printing <sup>[5]</sup>		Mobile Operating Systems: iOS®, iPadOS,
	Colour: 3,800 photos		Android <sup>™<sup>[23]</sup></sup>
	* Estimated supplemental yield		
			*OS compatibility confirmed at time of launch, please check the Canon Download Centre for support of subsequently released
PAPER SUPPORT Paper Types	Plain Paper		OS's for this product.
rupertypes	Photo Paper Pro Luster (LU-101),	Minimum System	Windows: 1.5GB or more
		Requirements	Note: for bundled software installation. The
	Photo Paper Plus Glossy II (PP-201)		
	Matte Photo Paper (MP-101),	-	necessary amount of hard disk space required.
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501)	Software Included	Printer Driver
	Matte Photo Paper (MP-101),	-	
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1></fa-rg1>	-	Printer Driver IJ Printer Assistant Tool
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101)</fa-rg1>	Software Included	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper (RP-101) Magnetic Photo Paper (MG-101)</fa-rg1>	Software Included PHYSICAL FEATURES	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted)
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (DF-101),</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H)	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 564 x 249mm (trays extended)
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D)</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup>
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 544 x 249mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation)
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (IRR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS),</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35 <sup>°</sup> C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(RP-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior(WOP111)</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 544 x 249mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation)
Maximum Paper Input	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (DF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior(WOP111) Canon Oce Office Colour Paper(SAT213)</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35 <sup>°</sup> C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (all ports connected): Approx. 1.2W
Maximum Paper Input	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(RP-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior(WOP111)</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connected): Approx. 0.6W Standby (UB ports connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec*
Maximum Paper Input	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rgi> Restickable Photo Paper(RP-101) Magnetic Photo Paper(RP-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior(WOP111) Canon Oce Office Colour Paper(SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on</fa-rgi>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35 <sup>°</sup> C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (all ports connected): Approx. 1.2W
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior(WOP111) Canon Oce Office Colour Paper(SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected.</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 564 x 249mm (trays extended) approx. 50.5dB(A) 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (OII ports connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W
Maximum Paper Input Paper Sizes	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (IRR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper (RP-101) Magnetic Photo Paper (MC-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior (WOP111) Caroon Oce Office Colour Paper (SAT213) Rear Tray: Max. 100 sheets: Ad (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected. A4, A5, B5,A6, LTR, LGL, 4" x 6" (10x15cm),</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 544 x 29mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W The wait time for standby connot be changed
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (DF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior(WOP111) Canon Oce Office Colour Paper(SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected. A4, A5, B5,A6, LTR, LGL, 4" x 6" (10x15cm), S" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x 127mm),</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 544 x 29mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W The wait time for standby connot be changed
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper (MP-101) Magnetic Photo Paper (MP-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (DF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior (WOP111) Canon Oce Office Colour Paper (SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected. A4, A5, B5,A6, LTR, LGL, 4" x 6" (10x15cm), 5" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x 127mm), Square 3.5" x 3.5" (89 mm x 89 mm),</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 544 x 29mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W The wait time for standby connot be changed
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior(WOP111) Canon Oce Office Colour Paper (SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected. A4, A5, B5,A6, LTR, LGL, 4" x 4" (10x15cm), 5" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x 127mm), Square 3.5" x 3.5" (89 mm x 89 mm), Card Size 55mm x 91 mm (2.17"x3.58")</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 544 x 29mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W The wait time for standby connot be changed
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper (MP-101) Magnetic Photo Paper (MP-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (DF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior (WOP111) Canon Oce Office Colour Paper (SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected. A4, A5, B5,A6, LTR, LGL, 4" x 6" (10x15cm), 5" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x 127mm), Square 3.5" x 3.5" (89 mm x 89 mm),</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 544 x 29mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W The wait time for standby connot be changed
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (IRR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior (WOP111) Canon Oce Office Colour Paper(SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected. A4, A5, B5,A6, LTR, LGL, 4" x 4" (10x15cm), 5" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x 127mm), Square 3.5" x 3.5" (89 mm x 89 mm), Card Size 55mm x 91 mm (2.17"x3.58") Envelopes(DL, COM10, C5, Monarch), [Custom size]</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 544 x 29mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W The wait time for standby connot be changed
Paper Sizes	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(M-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (DF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior(WOP111) Canon Oce Office Colour Paper(SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected. A4, A5, B5,A6, LTR, LGL, 4" x 6" (10x15cm), 5" x 7" (12x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x 127mm), Square 3.5" x 3.5" (89 mm x 89 mm), Card Size S5mm x 91 mm (2.17"x3.58") Envelopes(DL, COM10, C5, Monarch), [Custom size] width 55 - 216 mm, length 89 - 1200 mm</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 544 x 29mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W The wait time for standby connot be changed
	Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (IRR-101N), Photo Paper Plus Semi-gloss (SG-201), Premium Fine Art Rough <fa-rg1> Restickable Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior (WOP111) Canon Oce Office Colour Paper(SAT213) Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected. A4, A5, B5,A6, LTR, LGL, 4" x 4" (10x15cm), 5" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x 127mm), Square 3.5" x 3.5" (89 mm x 89 mm), Card Size 55mm x 91 mm (2.17"x3.58") Envelopes(DL, COM10, C5, Monarch), [Custom size]</fa-rg1>	Software Included PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption	Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) approx. 5.1Kg approx. 445 x 340 x 136mm (trays retracted) approx. 445 x 544 x 29mm (trays extended) approx. 50.5dB(A) <sup>[7]</sup> 5-35°C 10-90%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 4 minutes 4sec* Printing: Approx. 14W The wait time for standby connot be changed



## TECHNICAL SPECIFICATIONS

## **PIXMA** G540

### Footnote

- 11 Ink droplets can be placed with a minimum pitch of 1/4800 inch
- (2) A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- <sup>[3]</sup> Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- (4) Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- ISI Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- <sup>[7]</sup> Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- Pitpical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- (11) Wireless printing requires a working network with wireless 802.11b/g/n or ad capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- 12) AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- 13 Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [14] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3Gs or later, and iPod touch 3rd generation or later devices running iOS 7,0 or later, and Android mobile devices running Android 2,3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [15] Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- <sup>14</sup> Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
   <sup>19</sup> The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed
- <sup>120</sup> Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.

- [21] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SPI (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [22] DPS over IP compatible device required.
- [23] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- 124 Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- [23] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with IOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.

#### Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see
- www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.
   All brand and product names are trademarks of their respective companies.
- Air brand and product names are indeemarks of mein respective companies.
   Microsoft, Windows and the Windows logo are trademarks, or registered
- trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2021



### WHEN YOU NEED PHOTO QUALITY AND QUANTITY, PRINT ON!

**PIXMA** G540

The Canon PIXMA G540 is aimed at small businesses, photo studios and home users; it offers high-quality photo printing with low maintenance and low total cost of ownership.

Sales Start Date: May 2021



### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
PIXMA G540	4621C009AA	4549292172959	<please fill="" in="" rrp=""></please>	

### CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
Standard size					
GI-43BK	4698C001	4549292178869	<please fill="" in="" rrp=""></please>		
GI-43C	4672C001	4549292178821	<please fill="" in="" rrp=""></please>		
GI-43M	4680C001	4549292179538	<please fill="" in="" rrp=""></please>		
GI-43Y	4689C001	4549292178845	<please fill="" in="" rrp=""></please>		
GI-43R	4716C001	4549292178883	<please fill="" in="" rrp=""></please>		
GI-43GY	4707C001	4549292178876	<please fill="" in="" rrp=""></please>		
Maintenance Cartridge					
MC-G02	4589C001	4549292171518	<please fill="" in="" rrp=""></please>		

### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA G540	4621C009AA	Individual	1	520.5	486	224.5	8.4	TBC
		Pallet (Upper)	20	1052	983	1134.5	170.8	TBC
		Pallet (Bottom)	20	1052	983	1134.5	170.8	TBC

### What's in the box?

- PIXMA G540 Refillable MegaTank Inkjet Printer
- 6 high-yield dye-based ink bottles (1 x Black, 1x C/M/Y, 1 Red and 1 Grey)
- Power cord
- Setup CD-ROM (CD only for Windows)
- Manuals and other documents

