

PIXMA TS8340

A PREMIUM LOOK FOR HIGH-CLASS RESULTS

Sleek with a creative streak, the PIXMA TS8340 delivers lab-quality photos using FINE technology and 6 individual inks, including Photo Blue. Print on a range of media, upload photos from your SD card and enjoy smart device control for a creative and uninhibited printing experience.



- **Sharp and sophisticated**
Pair style with substance in this multifunctional model, which boasts 6 individual inks (including Photo Blue), a 2-way paper feed and SD card compatibility
- **Impressive imagery**
Print lab-quality images using Canon's FINE technology and enjoy longer-lasting photos with up to 100 years of album life thanks to ChromaLife100 ink
- **Craft and create**
Turn designer with Easy-PhotoPrint Editor, Creative Park and the Nail Sticker Creator app, and experiment with double-sided matte, iron-on, magnetic, restickable and square media
- **Swift and smart connections**
Capitalise on Wi-Fi links (with 5Ghz band support) and take control from a smart device. Print, copy, scan and link to the cloud* with the Canon PRINT app or print with AirPrint (iOS) and Mopria (Android)
- **Clear control**
Enjoy easy operability with an auto-tilting 10.8cm colour touchscreen, complete with simple user interface, and connect smart devices at a touch of a button with Wireless Connect

*Scan to cloud and scan to email only available for genuine Canon ink users



6 Single Inks



Wireless Printing



Memory Card



Printable Nail
Stickers Print



2-way



Auto 2-sided Print

PRODUCT RANGE



PIXMA TS6340



PIXMA TS8340



PIXMA TS5340

PIXMA TS6340

PIXMA TS8340

PIXMA TS5340

PIXMA TS3340

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS8340

GENERAL SPECIFICATIONS		
Functions	Wireless, Print, Copy, Scan, Cloud Link	
PRINTER SPECIFICATIONS		
Print Resolution	Up to 4800 ^[1] x 1200 dpi	
Print Technology	6 Individual Ink Tanks (PGBK, BK, C, M, Y, PB) ChromaLife100 inks	
Mono Print Speed	Approx. 15.0 ipm ^[2]	
Colour Print Speed	Approx. 10.0 ipm ^[2]	
Photo Print Speed	Borderless 10x15cm : Approx. 17 seconds ^[2]	
Borderless Printing	Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm)	
Two Sided Printing	Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)	
Direct Disc Printing	Yes	
CARTRIDGES AND YIELDS		
Standard Ink Cartridges	6 individual ink tanks PGI-480PGBK (Pigment Black) CLI-481BK (Black) CLI-481C (Cyan) CLI-481M (Magenta) CLI-481Y (Yellow) CLI-481PB (Photo Blue)	
Optional XL Ink Cartridges	High yield XL ink tanks PGI-480PGBK XL (Pigment Black) CLI-481BK XL (Black) CLI-481C XL (Cyan) CLI-481M XL (Magenta) CLI-481Y XL (Yellow) CLI-481PB XL (Photo Blue)	
Ink Tanks Yield (Plain paper)	A4 Colour Document ^[3] Pigment Black: 200 pages Pigment Black XL: 400 pages Black: 750* pages Black XL: 2280* pages Cyan: 259 pages Cyan XL: 519 pages Magenta: 233 pages Magenta XL: 466 pages Yellow: 259 pages Yellow XL: 519 pages Photo Blue: 1660 pages* Photo Blue XL: 4710 pages*	
Ink Tanks Yield (Photo print)	* Estimated supplemental yield 10x15cm photo ^[3] Pigment Black: 1444* photos Pigment Black XL: 3883* photos Black: 213* photos Black XL: 505* photos Cyan: 80 photos Cyan XL: 178 photos Magenta: 107 photos Magenta XL: 247 photos Yellow: 80 photos Yellow XL: 178 photos Photo Blue: 240 photos Photo Blue XL: 505* photos * Estimated supplemental yield	
PAPER SUPPORT		
Paper Types	Plain Paper Canon High Resolution Paper (HR-101N) Canon Pro Platinum (PT-101) Canon Plus Glossy II (PP-201) Canon Pro Luster (LU-101) Canon Plus Semi-gloss (SG-201) Canon "Everyday Use" (GP-501) Canon Matte (MP-101) Envelopes Other Fine Art Papers Printable Discs Removable Photo Stickers (RP-101) Magnetic Photo Paper (MG-101) Double sided Matte (MP-101D) Light Fabric Iron-on transfers (LF-101) Dark Fabric Iron-on transfers (DF-101)	
Maximum Paper Input	Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper) Front Cassette: Max. 100 sheets (plain paper) Multi-purpose Tray: Printable Nail Stickers (NL-101)/1 printable CD, DVD or Blu-Ray Disc	
	Paper Sizes	Rear Tray: A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/ 13x13cm/8.9x8.9cm, Envelopes(DL,COM10) [Custom size] width 55mm - 215.9 mm, length 89mm - 676mm
	Paper Weight	Front Cassette: A4, A5, B5, LTR [Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m² Front Cassette: Plain Paper: 64-105 g/m²
	SCANNER SPECIFICATIONS	
	Scanner Type	CIS flatbed photo and document scanner
	Scanner Resolution (Optical)	2400 x 4800 dpi ^[4]
	Scanning Depth (Input / Output)	Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit
	Maximum Document Size	216 x 297 mm
	COPIER SPECIFICATIONS	
	Copy Speed	sFCOT: Approx. 19 sec ^[5] sESAT: Approx. 6.5ipm ^[5] max. 99 pages
	Multiple Copy	
	Copy Functions	Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy
	Copy Zoom	25 - 400% (in 1% increments) Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5
	INTERFACE	
	Display Type & Size	10.8cm LCD (TFT colour/Touch)
	Display Languages	33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portugu ese/Norwegian/Swedish/Danish/Finnish/Russian/Cze ch/Hungarian/Polish/Slovene/Turkish/Greek/ Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latv ian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/ Croatian/Vietnamese
	Interface Type - PC / Mac	Hi-Speed USB (B Port) Wi-Fi: IEEE802.11 b/g/n Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password Wireless LAN Frequency Band: 2.4GHz/5GHz
	Interface Type - Other	Canon PRINT Inkjet/SELPHY app Easy-PhotoPrint Editor Bluetooth Message In Print app Nail Sticker Creator app PIXMA Cloud Link Canon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Wireless Direct Access Point Mode WLAN PictBridge Memory Card Slot Mopria (Android)
	Compatible Memory Cards	SD Card, SDHC Card, SDXC Card, miniSD Card*, micro SD Card* mini SDHC Card*, micro SDHC Card*, microSDXC Card* *Using recommended adapter - not supplied



Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS8340

SOFTWARE

Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1
Operation can only be guaranteed on a PC with
pre-installed Windows 7 or later.
OS X 10.11.6, macOS 10.12~macOS 10.14

Supported Mobile Systems

iOS, Android, Windows 10 Mobile

Minimum System Requirements

Windows: 2.0GB or more
Mac: 1.0GB or more
Note: for bundled software installation.
The necessary amount of hard disk space required.
Display: 1024 x 768 XGA

Software Included

MP Driver including Scanning Utility
Easy-PhotoPrint Editor (download)

PHYSICAL FEATURES

Weight

approx. 6.6kg

Dimensions (W x D x H)

approx. 373 x 319 x 141 mm

Acoustic Noise Levels

approx. 44.5dB(A)^[6]

Recommended Operating Environment

Temperature: 15-30°C
Humidity: 10-80%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.3W
Standby (connected to PC via USB): Approx. 1.2W
(scanning lamp off)
Standby (all ports connected): Approx. 1.8W
(scanning lamp is off)
Time to enter Standby mode: 10min 56sec
Copying: Approx. 16W^[7]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [3] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [6] Acoustic Noise is measured based on ISO7779 standard(colour printing) with default setting.
- [7] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2019



Live for the story_

A PREMIUM LOOK FOR HIGH-CLASS RESULTS

Sleek with a creative streak, the PIXMA TS8340 delivers lab-quality photos using FINE technology and 6 individual inks, including Photo Blue. Print on a range of media, upload photos from your SD card and enjoy smart device control for a creative and uninhibited printing experience.

Sales Start Date: Sep 2019

PIXMA TS8340



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS8340 MEA BLACK	3775C007AA	4549292143348	<Please fill in RRP>

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-480 PGBK	2077C001AA	4549292086560	<Please fill in RRP>
CLI-481 BK	2101C001AA	4549292086584	<Please fill in RRP>
CLI-481 C	2098C001AA	4549292086607	<Please fill in RRP>
CLI-481 M	2099C001AA	4549292086621	<Please fill in RRP>
CLI-481 Y	2100C001AA	4549292086638	<Please fill in RRP>
CLI-481 PB	2102C001AA	4549292086645	<Please fill in RRP>
PGI-480XL PGBK	2023C001AA	4549292086478	<Please fill in RRP>
CLI-481XL BK	2047C001AA	4549292086492	<Please fill in RRP>
CLI-481XL C	2044C001AA	4549292086508	<Please fill in RRP>
CLI-481XL M	2045C001AA	4549292086515	<Please fill in RRP>
CLI-481XL Y	2046C001AA	4549292086539	<Please fill in RRP>
CLI-481XL PB	2048C001AA	4549292086546	<Please fill in RRP>

Canon

Live for the story_

A PREMIUM LOOK FOR HIGH-CLASS RESULTS

Sleek with a creative streak, the PIXMA TS8340 delivers lab-quality photos using FINE technology and 6 individual inks, including Photo Blue. Print on a range of media, upload photos from your SD card and enjoy smart device control for a creative and uninhibited printing experience.

PIXMA TS8340



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS8340 MEA BLACK	3775C007AA	EA	Individual	1	446	212	457.9	8.72	TBC
			Pallet (Upper)	20	1,070.5	897	920.3	175.70	TBC
			Pallet (Bottom)	30	1,070.5	897	1378.2	263.2	TBC

What's in the box?

- All-in-one printer – PIXMA TS8340
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

