

Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Instant Ink for Laser available
- HP Wolf Pro security
- Automatic two-sided printing standard
- Fast print speed (40 ppm A4)
- High monthly duty cycle (80,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet ADF with single-pass, two-sided scanning



















Maximum productivity.

- Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.
- Step up your workflow with HP Pro-class maximum print speed to meet high-demand environments.
- Scan both sides with a single pass. Dual-sided scanning allows your users to get more done in less time.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app. ²

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
 of features.⁴
- Set up your printers quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility.³
- Avoid interruptions with Wi-Fi® that intelligently looks for the best connection to stay on-line. ⁵

HP Wolf Pro Security.

- $\bullet \quad \text{Get printer security out of the box. Preconfigured settings mean it's ready when you are.} \\$
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy.³
- $\bullet \quad \text{Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.}\\$
- Set configuration policies and validate settings universally with HP Security Manager.⁶

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. 7,8,9
- Never run out of toner with Instant Ink for laser.¹⁰
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁹
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time.¹¹

Product walkaround

- 1. Designed for workteams of up to 10 users
- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Hi-speed USB ports, built-in Gigabit Ethernet
- 6. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity



Accessories, Supplies and Support

Supplies	
	The state of the s
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x
	U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

Technical specifications

No del	20.00
Model HP LaserJet Pro MFP 410	2tdw Printer
Productnumber 2Z624F	
Functions Print, copy, scan, fax Control panel 2-lineLCD; OK button; Le	eft button; Right button; Cancel button; Back button; Ready LED; Error LED; Wi-FiLED (only for wireless bundle)
Print	endution, kight button, Canter button, Backbutton, keady Leb, endrieed, wi-niceb tomographic wiletess buttory
Print technology Laser	
	40 ppm; Black (A4, duplex): Up to 34 ipm
	as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec
	200 x 1200 dpi); Technology. HP FastRes 1200, HP ProRes1200, Economode
	Recommended monthlypagevolume: 750 to 4,000
	t printing , N-up printing , collation , watermarks , install printer driver only , Economode for toner savings , accepts a variety of paper sizes and types
Standard print languages HP PCL 6, HP PCL 5e, HP	postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
Fonts and typefaces 84 scalable TrueType for	nts
Print area Print margins Top: 4.3 m	m, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1mm
Duplex printing Automatic (default)	
Сору	
Copy speed Black (A4): Up to 38 cpm	
Copierspecifications ID Copy; Number of copie	es; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore mnumber of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan	minima of copies, up to 3333 copies, reducer maye, 2.3 to 400 %
	m/46 ipm (b&w), up to 20 ppm/34 ipm (color); Duplex (A4) : Up to 46 ipm (b&w), up to 34 ipm (color)
Scan file format PDF, JPG, TIFF	
Scanner type Flatbed, AD	F; Scan technology. Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version:
Version 2.3; Duplex ADF	scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Úp to 1200 x 1200 dpi
Scanneradvanced features Copy preview	
Recommended monthly scan volume 750 to 4000	
	bed): 216 x 297 mm : Minimum mediasize (ADF): 102 x 152 mm Maximum mediasize (ADF): 216 x 356 mm
Bit depth/Grey scale levels 24-bit/256	100 A 3 A 3 A 3 A 3 A 3 A 3 A 3 A 3 A 3 A
Fax	
Fax Yes, 33.6 kbps	
	ages; Faxresolution: Standard: 203 x 98 dpt; Fine: Up to 203 x 196 dpt; Superfine: Up to 300 x 300 dpt; Quick dialing: Up to 200 numbers
	redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting;
Print rax log; HP Digital Fa	X
Processor speed 1200 MHz	
Connectivity	20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	arhost USB; 1 Front USB port; Gigabit Ethernet LAN 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n/2.4/5 GHZ Wi-Firadio + BLE Certified; Wi-Fi [®] Direct Printing
TCD/ID IDu4 IDu6: Drint:	CECTION, WEST TO DIRECT MODE, INC. 1917 (See August 2017), Apple AirPrint™, Mopria, PP Print; Discovery; SLP, Bonjour, Web Services Discovery; P Config: Pv4 (BootP, DHC P, Auto P,
Supported network protocols Manual), IPv6 (Stateless I	ink-Local and via Router, Statefull via DHCPv6), SSLSecurity and Certificate management; Management: SNMPv1, SNMPv2, STMPv3, HTTP/HTTPS, Syslog, FTPFW Download
Network capabilities Yes, via built-in 10/100/	1000Base-TXEthernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Hard disk No	
Memory Standard: 512 MB; Maxir	num: 512MB
Mediahandling	
Mediahandling Number of paper trays Standard: 2 ; Maximum:	3
Mediahandling Number of paper trays Standard: 2; Maximum: Media types Paper (plain, EcoEFFC/EI Custom (metric): Tray 1: x 250 mm); 16K (197 x. Media size 8 Tray 3: A4; A5; A6; B5	
Mediahandling Number of paper trays Standard: 2; Maximum: Media types Paper (plain, EcoEFFICIE Custom (metric): Tray 1: x260 mm): 16K (197 x: x260 mm): 16K (197 x: x37 x) x34; A5; A6; B5 (356 mm)	3 WT. light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76. 2×127 to 215. 9 x 355.6 mm; Tray 2, 3: 104. 9 x 148.59 to 215. 9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JI5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 r 73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope #5; Envelope C5; Envelope D1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 JI5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x
Mediahandling Number of paper trays Standard: 2; Maximum: Media types Paper (plain, EcoEFRICE) Custom (metric): Tray 1: x 260 mm); 16K (197 x 28 Tray 3: A4; A5; A6; B5 (356 mm) Media handling Standard input: 100-she	3 VI. light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2 x 12 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 95.5 6; mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 95.2 mm); 16K (195 x 270 mm); 16K (
Mediahandling Standard; 2; Maximum: Number of paper trays Paper (plain, EcoEFFICE) Custom (metric): Tray 1: × 260 mm); 16K (197 x. X Erray 3: A4; A5; A6; B5 (356 mm) 356 mm Media handling Standard input: 100-sh Media weight Tray 1: 60 to 200 g/m²;	NT, Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2 × 127 to 215.9 × 355.6 mm; Tray 2, 3: 104.9 × 148.59 to 215.9 × 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Oficio (216 × 340 mm); 16K (195 × 270 mm); 16K (184 × 73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope#10; Envelope#10 mach; Envelope#15; Envelope#15; Envelope#15; Envelope#15; Envelope#16; Envel
Media handling Standard: 2; Maximum: Number of paper trays Standard: 2; Maximum: Media types Paper (plain, Eco EFFICIE) Custom (metric): Tray 1: x250 mm); 16K (197 x & 8. Tray 3: A4; A5; A6; B5 (3.56 mm) Media handling Standard input 100-sh Media weight Tray 1: 60 to 200 g/m²; hput capacity Output capacity Tray 1: 5heets: 100; Env Output capacity Standard: Up to 150 she	3 WT. Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76. 2×127 to 215. 9×355.6 mm; Tray 2, 3: 104. 9×148.59 to 215. 9×355.6 mm Supported (metric). Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 r 73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope#10; EnvelopeMonarch; Envelope#5; Envelope#5; Envelope#0; Custom Size; 4 x6 in; 5 x8 in; Statement; Tray 2 JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x6 in; B6 (JIS) ADP. Letter; Legal; A4; custom sizes 102 x 152 to 216 x seet tray 1, 250 - sheet input tray 2; 50 - sheet Automatic Document Feeder (ADP) Standard output: 150 - sheet output bin Optional Input: Optional third 550 - sheet tray 3: 60 to 120 g/m² elopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550 - sheet tray) ADP: Standard, 50 sheets ets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
Media handling Standard: 2; Maximum: Number of paper trays Standard: 2; Maximum: Media types Paper (plain, Eco EFFICIE) Custom (metric): Tray 1: x250 mm); 16K (197 x & 8. Tray 3: A4; A5; A6; B5 (3.56 mm) Media handling Standard input 100-sh Media weight Tray 1: 60 to 200 g/m²; hput capacity Output capacity Tray 1: 5heets: 100; Env Output capacity Standard: Up to 150 she	3 NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (U5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 r 73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope #85; Envelope #65; Envelope D1; Custom Sze; 4 x 6 in; 5 x 8 in; 5 x
Media handling Standard: 2; Maximum: Media types Paper (plain, EcoEFFCEI Custom (metric): Tray 1: x260 mm); 16K (197 x: x260 mm); 16K (197 x: x360 mm) Media size & Tray 3: A4; A5; A6; B5 (356 mm) Media handling Standard input: 100-sh Media weight Tray 1: 60 to 200 g/m²; hput capacity Tray 1: 5heets: 100; Env Output capacity Compatible operating systems Windows 11; Windows 50 compatible network operating systems Windows 8; Windows 50 compatible network operating systems Windows 8; Windows 50 compatible network operating systems	3 NT. Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2×127 to 215.9×355.6 mm; Tray 2, 3: 104.9×148.59 to 215.9×355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (J5); Officio (216×340 mm); 16K (195×270 mm); 16K (184 7/3 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope#10; Envelope Monarch; Envelope B5; Envelope C5; Envelope C1; Custom Size; 4 x6 in; 5 x8 in; 5 tatement; Tray 2 JS); Officio (216×340 mm); 16K (195×270 mm); 16K (184×260 mm); 16K (197×273 mm); Custom Size; A5-R; 4 x6 in; B6 (JS) ADF. Letter; Legal; A4; custom sizes 102×152 to 216 x seet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF. Standard, 50 sheets tray 2, optional 550-sheet tray 3: 60 to 120 g/m² elopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets tets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; maxOS 10:15 Catalina; maxOS 11 Big Sur; maxOS 12 Monterey; Chrome OS server; Linux; Citric; Novell
Mediahandling Standard; 2; Maximum; Number of paper trays Paper (plain, EcoEFFICE) Custom (metric): Tray 1: x260 mm); 16K (197 x; x260 mm); 16K (197 x; x360	3 NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76. 2x127 to 215.9x355.6 mm; Tray 2, 3: 104.9x148.59 to 215.9x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Officio (216x340 mm); 16K (195x270 mm); 16K (184 r73 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#5; Envelope#05; Envelope#0; Custom Sze; 4 x6 in; 5 x8 in; Statement; Tray 2 (15); Officio (216x340 mm); 16K (195x270 mm); 16K (184 x260 mm); 16K (197x273 mm); Custom Sze; A5-R; 4 x6 in; B6 (US) ADF. Letter; Legal; A4; custom sizes 102 x152 to 216 x elettray 1, 250-sheet inputtray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional third 550-sheet tray ADF; Standard, 50 sheets tray 2, optional 550-sheet ay 3: 60 to 120 g/m² elopes; 10 Tray 2; Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets ets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS aver; Linux; Citrix; Novell hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements seemicrosoft.com;
Mediahandling Standard: 2; Maximum: Media types Paper (plain, EcoEFFCE) Custom (metric): Tray 1: x260 mm); 16K (197 x 2: 8 Tray 3: A4; A5; A6; B5 (356 mm) Media handling Standard input: 100-shr Media weight Tray 1: 60 to 200 g/m²; hput capacity Tray 1: Sheets: 100; Env Standard: Up to 150 she Compatible operating systems Windows 11; Windows: Compatible network operating systems Windows 2: GB available Mac 2: GB available Mac 2: GB available hard	NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2x127 to 215.9x355.6 mm; Tray 2, 3: 104.9x148.59 to 215.9x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (U5); Officio (216x340 mm); 16K (195x270 mm); 16K (184 r73 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#85; Envelope#5; Envelope#0; Custom Sze; 4 x6 in; 5 x8 in; Statement; Tray 2 U5); Officio (216x340 mm); 16K (195x270 mm); 16K (197x273 mm); Custom Sze; A5-R; 4 x6 in; B6 (U5) ADF. Letter; Legal; A4; custom szes 102 x152 to 216 x letter (216x340 mm); 16K (195x270 mm); 16K (197x273 mm); Custom Sze; A5-R; 4 x6 in; B6 (U5) ADF. Letter; Legal; A4; custom szes 102 x152 to 216 x letter (216x340 mm); 16K (195x270 mm); 16K (195x270 mm); Custom Sze; A5-R; 4 x6 in; B6 (U5) ADF. Letter; Legal; A4; custom szes 102 x152 to 216 x letter (216x340 mm); 16K (195x270 mm); 16K (195x270 mm); Custom Sze; A5-R; 4 x6 in; B6 (U5) ADF. Letter; Legal; A4; custom szes 102 x152 to 216 x letter (216x340 mm); 16K (195x270 mm); 16K (195x270 mm); Custom Sze; A5-R; 4 x6 in; B6 (U5) ADF. Letter; Legal; A4; custom szes 102 x152 to 216 x letter (216x340 mm); 16K (195x270 mm); 16K (195x270 mm); Custom Sze; A5-R; 4 x6 in; B6 (U5) ADF. Letter; Legal; A4; custom szes 102 x152 to 216 x letter (216x340 mm); 16K (195x270
Mediahandling Number of paper trays Media types Paper (plain, EcoEFFCEI Custom (metric): Tray 1:	3 NT, Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric); Tray 1: A4; A5; A6; B5 (JIS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 r 73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope #B5; Envelope #C5; Envelope *C1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 JS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x seet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF. Standard, 50 sheets tray 2, optional 550-sheet tray 3: 60 to 120 g/m² elopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets ets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS erver; Linux; Citrix; Novell hard disk space; Internet connection or US 8 port; Internet browser. For additional OS hardware requirements see amicrosoft.com; drives pace; Internet connection or US 8 port; Internet browser. For additional OS hardware requirements see apple.com; encluded in the box, only on http://www.hp.com and http://123.hp.com
Mediahandling Standard; 2; Maximum: Media happes Paper (palan, EcoEFFICE) Custom (metric): Tray 1: x 260 mm); 16K (197 x 2 8 Tray 3: A4; A5; A6; B5 (356 mm) Standard input: 100-shi Media weight Tray 1: 60 to 200 g/m²; Input capacity Tray 1: Sheets: 100; Env Output capacity Standard; Up to 1:50 via Compatible operating systems Windows 1; Windows 5 (Shandard) Windows 5; Windows 5; Windows 5; Windows 5; Windows 5; Windows 6; Windo	NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2x127 to 215.9x355.6 mm; Tray 2, 3: 104.9x148.59 to 215.9x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (U5); Oficio (216x340 mm); 16K (195x270 mm); 16K (184 r73 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#85; Envelope#65; Envelope#0; Custom Sze; 4x6 in; 5x8
Mediahandling Number of paper trays Media types Media types Media types Media size Custom (metric): Tray 1:	NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 r 73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope #85; Envelope ©5; Envelope D1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 (JS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (US) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 24 tray 1, 250-sheet Input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF. Standard, 50 sheets tray 2, optional 550-sheet tray 3: 60 to 120 g/m² elopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets ets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS erver; Linux; Citrix; Novell hard disk space; Internet connection or US B port; Internet browser. For additional OS hardware requirements see microsoft.com; three space; Internet connection or US B port; Internet browser. For additional OS hardware requirements see apple.com; encluded in the box, only on http://www.hp.com and http://123.hp.com //eb JetAdmin Software; HP JetAdvantage Security Manager; HP SNNP Proxy Agent (Part of HP Web JetAdmin); HP WS Pro Proxy Agent (Part of HP Web JetAdmin); Printer Administrator scale Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator)
Mediahandling Number of paper trays Standard; 2; Maximum: Media types Paper (plain, EcoEFFICE) Custom (metric): Tray 1: x 260 mm); 16K (197 x 4: X 17 x 3: A4; A5; A6; B5 (356 mm); 16K (197 x 4: X 17 x 3: A4; A5; A6; B5 (356 mm); 16K (197 x 4: X 17 x 3: A4; A5; A6; B5 (356 mm); 16K (197 x 4: X 17 x 3: A4; A5; A6; B5 (356 mm); 16K (197 x 4: X 17 x 3: X 15 mm); 16K (197 x 15 mm); 16K	3 NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76, 2x127 to 215.9x355.6 mm; Tray 2, 3: 104.9x148.59 to 215.9x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (184 r73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#5; Envelope#05; Envelope#05; Envelope#05; Envelope#06; Envelope#07; Carbon Size; A5 red x 4x 6 in; B6 (US) ADF. Letter; Legal; A4; custom size x 102 x152 to 216 x 2
Media handling Number of paper trays Standard; 2; Maximum; Media types Paper (plain, EcoEFFCEI Custom (metric): Tray 1: x260 mm); 16K (197 x	3 NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2 x127 to 215.9 x355.6 mm; Tray 2, 3: 104.9 x148.59 to 215.9 x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (184 r73 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#85; Envelope#0; Custom Size; 4x6 in; 5x8 in;
Mediahandling Number of paper trays Standard: 2; Maximum: Media types Paper (plain, EcoEFFCEE Custom (metric): Tray 1: x260 mm); 16K (197 x 2: 8 Tray 3: A4; A5; A6; B5 (356 mm Standard input: 100-sh Media handling Standard input: 100-sh Media handling Standard input: 100-sh Media handling Tray 1: 60 to 200 g/m²; input capacity Tray 1: 50 to 200 g/m²; input capacity Standard: Up to 150 she Compatible operating systems Windows 11; Windows 5 (Compatible operating systems Windows 8; Windows Standard: Up to 150 she Windows 2: 68 available hand Software included No software solutions are with the windows A (Software included No software solutions are here with the windows A (Software included No software solutions are here with the windows A (Software included No software solutions are here with the windows A (Software solutions are here with	NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2 x 1 2 7 to 2 15.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 2 15.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 r 73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope #85; Envelope #85; Envelope #80; Envelope #80
Mediahandling	3 WT, Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 r 73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#85; Envelope#65; Envelope#0; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 (JS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (US) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x eletray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF. Standard, 50 sheets tray 2, optional 550-sheet tray 3: 60 to 120 g/m² elopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets els Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS erver; Linux; Citrix; Novell hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; dive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; encluded in the box, only on http://www.hp.com and http://123.hp.com //eb JetAdmin Software; HP JetAdvantage Security Manager; HP SNNP Proxy Agent (Part of HP Web JetAdmin); HP WS Pro Proxy Agent (Part of HP Web JetAdmin); Printer Administrator scal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator) **C Humidity: 30 to 70% RH
Mediahandling Number of paper trays Standard; 2; Maximum: Media types Paper (plain, EcoEFFICE) Custom (metric): Tray 1: x 260 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; AS; A6; BS (356 mm); 16K (197 x 2: 8 Tray 3: At 4; AS; A6; AS; AS; A6; A5; A6; A6; A6; A5; A6; A6; A6; A6; A6; A6; A6; A6; A6; A6	3 NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76, 2x127 to 215.9x355.6 mm; Tray 2, 3: 104.9x148.59 to 215.9x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (184 r73 mm); Japanes Postcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#5; Envelope#0; Envelope#0; Custom Sze; 4 x6 in; 5 x8 in; 5 x
Mediahandling Number of paper trays Standard; 2; Maximum: Media types Paper (plain, Eco EFFICIE! Custom (metric): Tray 1:	NT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough): envelopes; labels; 76,2×127 to 215,9×355,6 mm; Tray 2, 3: 104,9×148,59 to 215,9×355,6 mm Supported (metric); Tray 1: A4; A5; A6; B5 (JS); Officio (216 x340 mm); 16K (195 x270 mm); 16K (184 x267 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope#10; EnvelopeB5; EnvelopeB5; EnvelopeCJ; Custom Size; 4×6 in; 5×8 in; Statement; Tray 2: D5; Officio (216 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size; 4×6 in; 5×8 in; Statement; Tray 2: D5; Officio (216 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size; A4 x6 in; Ed USI) ADE: Letter; Legal; A4; custom Size; 4×6 in; 5×8 in; Statement; Tray 2: D5; Officio (216 x340 mm); Ed K1 (197 x273 mm); Custom Size; A4 x6 in; Ed USI) ADE: Letter; Legal; A4; custom Size; A5 in; Statement; Tray 2: D5; Officio (216 x340 mm); Ed Vision Size; A5 in; Statement; Tray 2: D5; Officio (216 x340 mm); Ed Vision Size; A5 in; Statement; Tray 2: D5; Officio (216 x340 mm); D5; Officio (216 x340 mm)
Mediahandling Number of paper trays Standard; 2; Maximum: Media types Paper (plain, EcoEFFICE) Custom (metric): Tray 1:	NT. Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76. 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric); Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 73 mm); Japanese Postcard, Double Japane Postcard Rotated; Envelope Plot in Envelope Plot (metric); Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); 16K (198 x 270 mm); 16K (1
Media handling Number of paper trays Standard: 2; Maximum: Media types Paper (plain, EcoEFFCEI Custom (metric): Tray 1: x260 mm); 16K (197 x 2: 8 Tray 3: A4; A5; A6; B5 (356 mm); 16K (197 x 2: 8 Tray 3: A4; A5; A6; B5 (356 mm) Media handling Standard input: 100-shr Media weight Tray 1: 60 to 200 g/m²; hput capacity Tray 1: 5heets: 100; Env Output capacity Standard: Up to 150 she Compatible operating systems Windows 11; Windows: Compatible network operating systems Windows 8; Windows 5; Standard: Up to 150 she Mac 2: GB available hard: Software included No software solutions are systems Hip Printer Assistant; HP Windows: Compatible operating systems Windows 2: GB available hard: Software included No software solutions are HP Printer Assistant; HP Windows: Compatible methods HP Windows: Compatibl	ST. Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76. 2 x 127 to 215, 9 x 355, 6 mm; Tray, 2, 3 ± 104.9 x 1 48.59 to 215.9 x 355, 6 mm Supported (metric). Tray 1: A4; A5; A6; B5 U(S); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); apone envelope (S); Envelope
Media handling	3 IT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 7.6. z. x. 127 to 2.15. 9 x. 35.5. 6 mm; Tray 2, 3: 10.4. 9 x. 148.5 to 2.15. 9 x. 35.5. 6 mm Supported (metric). Tray 1: A4; A5, A6, B5 (JJS); Oficio (2.16 x. 340 mm); 16K (195 x. 270 mm); 16K (184 x. 260 mm); 16K (197 x. 273 mm); 2 panese Postcard; Double Jeap an Post Card Rotated; Envelope B10; Envelope B15; Envelope B5; Envelope B15; En
Mediahandling	3. If, Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76. 2 x 12 7 to 2 15.9 x 3 55.6 mm, Tray 2, 3: 10.4 % x 148.5 9 to 2 15.9 x 3 55.6 mm Supported (metric) Tray 1: A2; A5; A6; B5 (U5); Officio (2 16 x 340 mm); 16K (19 5 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); 0 to 2 15.0 km 20 to
Mediahandling	ST. Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; 76. 2 x 127 to 215, 9 x 355, 6 mm; Tray 2, 3 : 104.9 x 1 a8.59 to 215.9 x 355, 6 mm Supported (methc). Tray 1: A4; A5; A6; B5 UB); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); aponesee-Postacrit, polobel palar postscraft Rotated; frenchepe #10, Envelope #10, Envel

Footnotes

- ¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores.
- Easy setup and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- ⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting, Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased
- ⁶ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- 8 Save up to 50% on toner (mono) Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers < 494 and MFPs priced < 672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker – Final Historical 2021Q2. For details: www.keypointintelligence.com/HPInstantInk.
- 9 Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately
- ¹⁰ Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.

 ¹¹ Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms.

Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP Laser Jet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.
- For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



www.blauer-engel.de/uz219













© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



