# MAXIFY GX4040

Wi-Fi, Ethernet, Print, Copy, Scan, Fax & Cloud

# LOW RUNNING COSTS, BRILLIANT PRODUCTIVITY

Low-cost and compact, but capable of delivering high volumes of high-quality prints fast – a perfect business printer for hybrid or home office workers.







### Ultra-low running costs

Save over the printer's lifetime thanks to cost effective refillable ink tanks that vastly reduce the total cost of ownership and cost per page. Boost page yield with Economy mode3 and print up to 1.5x more pages with the same amount of ink

### Brilliant business-quality prints

Enjoy water-, friction- and marker-resistant, business-friendly prints with excellent readability, delivered quickly and in large volumes

### Print more media in-house

Print flyers, banners and posters in-house thanks to compatibility with a wide variety of materials including magnetic and photo media, plus a new rear flat tray that supports thicker media and card

### Print without pause

Print high volumes of documents without irritating paper reloads, thanks to a 100-sheet rear feed and a 250-sheet front cassette, windowed to make checking paper levels quick and easy. A 35-sheet ADF simplifies multipage document management

### Small but mighty

Save vital space at home or in the office thanks to the printer's compact footprint, whilst reducing the amount of plastic packaging means more of it can be easily recycled


### Easy to use and maintain

Reduce downtime with the user-replaceable maintenance cartridge, easily accessible from the front of the printer. Colour-coded, springloaded ink caps mean refills are simple and mess-free













Z250 C Plain Paper Capacity High Page Yield Connectivity

### PRODUCT RANGE



MAXIFY GX3040

MAXIFY	GX3040
MAXIFY	GX4040
MAXIFY	GX5040
MAXIFY	GX6040
MAXIFY	GX7040

### MAXIFY GX4040



MAXIFY GX5040

Live for the story\_

### TECHNICAL SPECIFICATIONS

# MAXIFY GX4040

GENERAL SPECIFICATIONS		COPIER SPECIFICATIONS	101
Functions	Wi-Fi, Ethernet, Print, Copy, Scan, Fax & Cloud	Copy Speed	sFCOT (colour): Approx. 17.0 sec <sup>[8]</sup> sESAT (colour): Approx. 11.1 ipm <sup>[8]</sup>
PRINTER SPECIFICATIONS			ESAT/Simplex ADF (colour): Approx. 7.4 ipm
Print Resolution	Up to 600 x 1200 dpi <sup>[1]</sup>		ESAT/Simplex ADF (black): Approx.15.2 ipm
Print Margins (min.)	Top: 3mm, Bottom: 5mm, Left & Right: 3.4mm	Copy quality Intensity adjustment	3 levels (Economy, Standard, High) 9 positions, Auto intensity (AE copy)
Print Technology	1 Print Head Refillable ink tank printer	Multiple Copy	99 copies (max.)
Mono Print Speed	approx. 18.0 ipm <sup>[2]</sup>	Copy Functions	Document Copying, Tw o-Sided Copy, 2-on-1 and 4-
Colour Print Speed	approx . 13.0 ipm <sup>[2]</sup>		on-1 copy, Collated Copy (ADF only), Frame erase copy (Flatbed only), ID copy
First Page Out Time (approx.)	Mono: 8 sec (ready/simplex) <sup>[2]</sup>	Copy Zoom	25 - 400%
Two Sided Printing	Colour: 9 sec (ready /simplex) <sup>[2]</sup> A4, Letter - Plain Paper (Rear Tray, Cassette only)	oop) 200m	Fit to page
J. J			A5 to A4, B5 to A4, A4 to A5 and A4 to B5
CONSUMABLES AND INK		FAX SPECIFICATIONS	
YIELDS Standard Ink Bottles	GI-46 BK	Fax Type	Super G3 / Colour
	GI-46 C	Fax Resolution	Mono: 8pels/mm x 3.85 lines/mm(Standard)
	GI-46 M GI-46 Y		8pels/mm x 7.7 lines/mm(Fine) 300 dpi x 300 dpi (Ex tra Fine)
Maintenance cartridge	MC-G03(User Replaceable)		Colour: 200 x 200 dpi
Bottle Yield (Plain paper)	A4 colour documents printing [3]	Transmission Speed	Mono: approx. 3 sec. <sup>[21]</sup> Colour: approx. 1 min. <sup>[21]</sup>
	Black: 6,000 pages (Economy mode 9,000 pages) <sup>[4]</sup>	Modem Speed	maximum 33.6 kbps (Automatic fall back)
	Colour: 14,000 pages	Print Size	A4, LTR, LGL
	(Economy mode 21,000 pages) <sup>(5)</sup>	Fax Memory	Approx. 250 pages <sup>[22]</sup>
Included Bottle Yield	* Estimated supplemental yield A4 colour documents printing <sup>[25]</sup>	Automatic Dialing	Coded Speed Dialing: Max . 100 locations Group Dialing: Max . 99 locations
	Black: 5,000 pages		Croop Braing, Max. // Iceanors
	Colour: 5,000 pages	GENERAL	
PAPER SUPPORT		Display	2.7" / 6.7cm LCD (Touch Screen, Color)
Paper Types	Plain Paper,	Display Languages	33 Languages Selectable: Japanese, English (mm & inch), German, French, Italian, Spanish, Portuguese,
	Red Label Superior 80 g/m <sup>2</sup> (W OP111), Canon Oce Office Colour Paper 80 g/m <sup>2</sup> (SAT213)		Dutch, Danish, Norw egian, Sw edish, Finnish, Russian,
	Photo Paper Pro Luster (LU-101),		U krainian, Polish, Czech, Slovenian, Hungarian, Slovakian, Croatian, Romanian, Bulgarian, Turkey,
	Photo Paper Plus Glossy II (PP-201)		Greek, Estonian, Latvian, Lithuanian, Simplified
	Matte Photo Paper (MP-101), Glossy Photo Paper "Every day Use" (GP-501)		Chinese, Korean, Traditional Chinese, Thai, Indonesia, Vietnamese
	High Resolution Paper (HR-101N),	Standard Interface	Hi-Speed USB (B Port)
	Envelope, Photo Paper Plus Semi-gloss (SG-201),		Ethernet: 10/100Mbps (auto switchable)
	Restickable Photo Paper(RP-101)		Wi-Fi: IEEE802.11 b/g/n <sup>[9]</sup> Wi-Fi Security: WPA-PSK (TKIP/AES), WPA2-PSK
	Magnetic Photo Paper(MG-101) Light Fabric Iron on Transfers (LF-101),		(TKIP/AES), W PA3-SAE (AES), W PA-EAP (AES)*
	Double sided Matte Paper (MP-101D)		W PA2-EAP (AES)* W PA3-EAP (AES)* * IEEE802.1X (EAP-TLS/EAP-TTLS/PEAP)
Maximum Paper Input	Rear Tray: Max. 100 sheets (plain paper) Cassette: Max. 250 sheets (plain paper)		Wireless LAN Frequency Band: 2.4GHz
	Rear Flat Tray: 1 sheet	Mobile Apps (iOS®/ANDROID™)	Canon PRINTInkjet/SELPHY app Easy-PhotoPrint Editor app <sup>[11]</sup>
Demos Sizes	ADF: A4, LTR = 35, LGL = 5, others = 1		Creative Park app <sup>[24]</sup>
Paper Sizes	Rear Tray: A4, A5, A6, B5, LTR, LGL, 4"x 6" (10 x 15 cm), 5"x 7" (13 x 18 cm), 7"x10" (18 x 25 cm), 8"x10"	Printer Features	Easy-PhotoPrint Editor Software
	(20 x 25 cm), Square 5"x 5", (127mm x 127mm),		PIXMA Cloud Link <sup>[11]</sup> Canon Print Service Plugin (Android) <sup>[12]</sup>
	Envelopes (DL, COM10), Custom size (width: 89 mm - 216 mm, length: 127 mm		Apple AirPrint [19]
	- 1,200 mm)		Wireless Direct <sup>[14]</sup> Mopria (Android) <sup>[15]</sup>
	Cassette: A4, A5, B5, LTR [Custom size] w idth 148 mm - 215.9 mm, length 210	Smart Assistant & Automation	Amazon Alexa <sup>™ [16]</sup>
	mm - 297 mm	Support	Google Assistant™ <sup>™</sup>
	Rear Flat Tray : A4, B5, LTR [Custom size] w idth 89 mm - 215.9 mm, length 127	OS Compatibility	Windows 11, Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with
	mm - 1,200 mm		pre-installed Windows 7 or later.
Paper Weight	ADF: A5, A4, LTR, LGL Rear Tray: Plain Paper: 64 g/m <sup>2</sup> - 105 g/m <sup>2</sup> or		Driver and I J Printer Assistant Tool only: Windows Server 2008 R2 SP1, Windows Server 2012 R2,
p e	supported genuine Canon papers		Windows Server 2016, Windows Server 2019, Windows
	Canon paper: Max. paper w eight Approx. 265 g/m <sup>2</sup>		Server 2022 Display environment: XGA 1024 x 768 or more
	(Photo Paper Plus Glossy II (PP-201) Cassette: Plain Paper: 64 g/m² - 105 g/m²		Mac: macOS 10.14.6 ~ macOS 10.15, macOS 11,
	Rear Flat Tray: Paperboard: 0.1 mm to 0.7 mm		macOS 12> Chrome OS
SCANNER SPECIFICATIONS			Mobile Operating Systems: iOS®, iPadOS,
Scanner Type	Flatbed (ADF/Platen) CIS colour scanner	Minimum Sucham	Android <sup>™</sup> <sup>[17]</sup>
Scanner Resolution (Optical)	$1,200 \times 2,400 \text{ dpi}^{[6]}$	Minimum System Requirements	Window s: 1.5GB or more Note: for bundled software installation. The
Line Scanning Speed	Colour: 3.5 ms/line (300 dpi)		necessary amount of hard disk space required.
Scanning Depth (Input /	Greyscale: 1.5 ms/line (300 dpi)	Software Included	Printer Driver IJ Printer Assistant Tool
Output)	Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit		Easy-PhotoPrint Editor (dow nload)
Maximum Document Size	Platen: A4/Letter (216x 297 mm)		
	ADF: A4/Letter/Legal (216 x 356 mm)		



Live for the story\_

### TECHNICAL SPECIFICATIONS

#### PHYSICAL FEATURES Weiaht

Dimensions (W x D x H) With the trays retracted: Dimensions (W  $\times$  D  $\times$  H) With the trays extended: Acoustic Noise Levels Operating Temperature Operating Humidity Duty Cycle Power Consumption

approx.9.5 ka Approx. 399 x 417 x 251mm

Approx. 399 x 719 x 304mm

approx, 49 dB(A) [18]

5-35°C 10-90%RH (no dew condensation)

up to 33,000 pages

Off: Approx.0.1W Standby (USB connection to PC): Approx. 0.9W Standby (all ports connected): Approx. 1.4W Time to enter Standby mode: 5minutes Copying: Approx. 20W <sup>[19]</sup> \*The wait time for standby cannot be changed (Lot26)

Typical Electricity Consumption

### Footnote:

- <sup>[1]</sup>Ink droplets can be placed with a pitch of 1/600 inch at minimum.
- <sup>[2]</sup>A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

0.15 kWh<sup>[20]</sup>

- <sup>[3]</sup>Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- <sup>[4]</sup>The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed. <sup>[5]</sup>The economy mode reduces the ink consumption by lowering the density,
- $50\%\,more$  pages than the standard mode can be printed.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- <sup>[7]</sup>The fastest speed in Hi-Speed USB on Windows PC. Transfer time to compute is not included.
- Copy speeds are the average of sFCOT and sESAT, ISO/IEC29183.
  Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC24735.
  Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account w arming up time.
- <sup>[9]</sup>Wireless printing requires a working network with wireless 802.11 b/g/ or n capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- 101 Requires an Internet connection and the Canon PRINTInkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [11] The Easy-PhotoPrint Editorsoftware requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64 bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with  $1024x\,768\,$  resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running IOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, EasyPhotoPrint Editor export data
- <sup>(12)</sup>Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- <sup>[13]</sup> AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running IOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your IOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [15] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.

# **MAXIFY** GX4040

- <sup>[16]</sup> Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet (s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- $^{177}\mbox{Some}$  functions may not be available with these Operating Systems. Please refer to the manual or w ebsite for details.
- <sup>[18]</sup> Plain Paper (A4, B/W), Acoustic Noise is measured based on ISO7779 standard. <sup>[19]</sup>Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- <sup>[20]</sup> Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and pow er-off mode for 5 days, and that it will be either in sleep or pow er-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- [21] Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting. using Canon Color Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc. <sup>(22)</sup>Page count is based on ITU-T No. 1 chart or Canon, FAX Standard Chart No. 1
- [23] ADF scan speeds are the average of scESAT30secA in "ADF Productivitiy Measurement" test, ISO/IEC 17991:2015. When scanning or copying a certain volume of documents (approx. 150 sheets in default settings) continuously from the ADF, the printer may switch to "waiting mode" in which paper feeding stops for several tens of seconds after each scan to prohibit overheating the ADF.
- 124 Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.
- <sup>[25]</sup> The page vield is the estimated value based on Canon individual test method using the ISO/IEC 24712 colour chart and continuous printing simulation with included bottles after initial setup. This includes ink used to setup the printer for the first time

#### Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink vield may vary depending on texts/photos printed, applications software used. print mode and type of paper used. For yield information see www.canon-europe.com/ink/vield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered
- trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2022



Live for the story

### LOW RUNNING COSTS, BRILLIANT PRODUCTIVITY

# MAXIFY GX4040

Low-cost and compact, but capable of delivering high volumes of high-quality prints fast – a perfect business printer for hybrid or home office workers.

Sales Start Date: Jan/Feb 2023



### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
MAXIFY GX4040	5779C009AA	4549292204285	<please fill="" in="" rrp=""></please>	

### CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
GI-46BK	4411C001	4549292168952	<please fill="" in="" rrp=""></please>
GI-46C	4427C001	4549292168976	<please fill="" in="" rrp=""></please>
GI-46M	4428C001	4549292168990	<please fill="" in="" rrp=""></please>
GI-46Y	4429C001	4549292169010	<please fill="" in="" rrp=""></please>
Maintenance Cartridge			
MC-G03	5794C001AA	4549292204674	<please fill="" in="" rrp=""></please>

### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
MAXIFY GX4040	5779C009AA	Individual	1	588	488.9	348.7	14.6	TBC
		Pallet (Upper)	12	1184	986	1050.6	176.9	TBC
		Pallet (Bottom)	12	1184	986	1050.6	176.9	TBC

### What's in the box?

- MAXIFY GX4040 Refillable MegaTank Inkjet Printer
- 4 high-yield ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents
- Setup CD-ROM (CD only for Windows)

\*Windows software also available from canon.com/ijsetup.



Live for the story\_