PIXMA G4470 FAST PRINTS. HUGE SAVINGS



A fast, cost-efficient 4-in-1 everyday printer for productive students, families and home users.



Ultra-low running costs

High-speed productivity

(mono) and 6.0 ipm (colour)

Easy at-home maintenance

ownership Simple operation

bottles

Wireless connectivity

AirPrint and more

Work with more media

and matte photo paper

Make huge savings over the printer's lifetime thanks to

refillable high-yield ink tanks that can deliver 8,100¹ prints on a single set of ink bottles and greatly reduce the total cost of

Easy, straightforward day-to-day use thanks to a clear 1.3" LCD panel and single-action print head installation

Get your documents faster thanks to print speeds of 11.0 ipm

Keep downtime to a minimum thanks to the user-replaceable

Print seamlessly from a range of devices with Wi-Fi connectivity

and support for PIXMA Cloud Link, Canon PRINT app, Apple

Get creative at home with the ability to print on magnetic

maintenance cartridge and mechanical ID no-squeeze ink

















PRODUCT RANGE







PIXMA G3470







Live for the story

¹ Colour page yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation in economy mode with the replacement after initial setup.







TECHNICAL SPECIFICATIONS

PIXMA G4470

GENERAL SPECIFICATIONS		COPIER SPECIFICATIONS	
Functions	Print, Scan, Copy & Fax w ith ADF, W iFl and Cloud	Copy Speed	sFCOT: Approx . 23 sec ^[18] sESAT: Approx . 3.2 ipm
PRINTER SPECIFICATIONS		Copy quality	3 levels (Economy, Standard, High)
Print Resolution	Up to 4800 x 1200 dpi ^[1]	Intensity adjustment	9 positions, Auto intensity (AE copy)
Print Technology	2 FINE Print Head (Black and Colour)	Multiple Copy	99 copies (max.)
······································	Refillable ink tank printer	Copy Functions	Document Copying, Photo Copying, Borderless copy, 2-on-1 and 4-on-1 copy, Frame erase copy,
Mono Print Speed	approx.11 ipm		ID copy
Colour Print Speed	approx . 6.0 ipm ^[2]	Copy Zoom	25 - 400% (in 1% increments)
Photo Print Speed	Borderless 10x 15cm: Approx. 45 seconds [3]		Fit to page
Borderless Printing	Yes A4, B5, LTR, 4"x 6", 5"x 7", 7"x 10", 8"x 10", Square (89 mm x 89 mm), Square(127 mm x 127 mm), Card Size(91 mm x 55 mm) ^[15]	FAX SPECIFICATIONS	A5 to A4, B5 to A4, A4 to A5 and A4 to B5
Two Sided Printing	Manual operation	Fax Type	Super G3 / Colour
-		Fax Resolution	Mono: up to 300 x 300dpi Colour: 200 x 200 dpi
CARTRIDGES AND YIELDS		Transmission Speed	Mono: approx 3 sec. (33.6kbps) [26]
Standard Ink Cartridges	GI-41 <pgbk> GI-41 <c></c></pgbk>	Fax Memory	Colour: approx. 1 min. (33.6kbps) ^[26] Up to 50 pages ^[27]
	GI-41 <m></m>	Group Dial	Max. 19 locations
Cartridge Vield (Plain paper)	GI-41 <y> A4 colour documents printing ^[4]</y>		
Cartridge Yield (Plain paper)	Black: 6,000 pages	GENERAL	
	(Economy mode 7,600 pages) ^[19]	Display	1.35" / 3.4 cm Square LCD (Monochrome)
	Colour: 7,700 pages (Economy mode 8,100 pages) ^[19]	Display Languages	33 Languages Selectable:
	* Estimated supplemental yield		Japanese/English (mm & inch)/German/French/Italian/Spanish/
Cartridge Yield (Photo print)	10x 15cm colour photo printing ^[5] Colour: 2,200 photos		BR Portuguese/Dutch/Danish/Norw egian/Sw edish/
	* Estimated supplemental yield		Finnish/Russian/U krainian/Polish/Czech/Slovenian/ Hungarian/Slovakian/Croatian/Romanian/Bulgarian/
			Turkey/Greek/Estonian/Latvian/Lithuanian/
PAPER SUPPORT			Simplified Chinese/Korean/Traditional Chinese/ Thai/Indonesia/Vietnamese
Paper Types	Plain Paper Red Label Superior 80 g/m ² (WOP111),	Standard Interface	Hi-Speed USB (USB B Port)
	Canon Oce Office Colour Paper 80 g/m ² (SAT213) Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501)		Wi-Fi: IEEE802.11 b/g/n ^[11] Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration passw ord Wireless LAN Frequency Band: 2.4 GHz Wireless PictBridge ^[22]
	High Resolution Paper (HR-101N), Envelope,	Mobile Apps (iOS®/ ANDROID™)	Canon PRINT app ^[14] Creative Park app ^[25]
	Photo Paper Plus Semi-gloss (SG-201), Greeting Card (manufactured by Avery and	Printer Features	Easy-PhotoPrint Editor app ^[21]
	RedRiverPaper),	rimer rediores	Easy-PhotoPrint Editor Software ^[21] PIXMA Cloud Link (print) ^[14]
	Cardstock (manufactured by Neenah Paper and INKPRESS),		Canon Print Service Plugin (Android) ^[24] Apple AirPrint ^[12]
	Restickable Photo Paper(RP-101)		Wireless Direct ¹⁰
	Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101),		Mopria (Android)
	Light Fabric Iron on Transfers (LF-101),	Smart Assistant & Automation Support	Amazon Alex a ^{™[20]} Google Assistant ^{™[20]}
Maximum Paper Input	Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper)	OS Compatibility	Windows 11, Windows 10, Windows 8.1,
Automatic Document Feeder	Up to 35 Sheets (1-sided)		Windows 7 SP1 Operation can only be guaranteed on a PC with
Paper Sizes	A4, A5, A6, B5, LTR, LGL, Executive		pre-installed Windows 7 or later.
	(184.2 mm x 266.7 mm), Legal(215 mm x 345 mm),		Printer driver, IJ Printer Assistant Tool and IJ Network Device Setup U tility are available with following OS.
	4" x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL, Envelopes COM10, Envelopes C5, Square		Windows Server 2008 R2 SP1, Windows Server 2012 R2,
	(89 mm x 89 mm), Square (127 mm x 127 mm),		Windows Server 2016, Windows Server 2019, Windows Server 2022
	Card Size(91 mm x 55 mm)		
	[Custom size] w idth 55 mm - 216 mm, length 89 mm - 1200 mm		Mac: OSX 10.14.6~macOS 12
Paper Weight	Rear Tray: Plain paper: 64 - 105 g/m ²		Chrome OS
	Canon specialty paper: max paper w eight : approx. 265 g/m ²		Mobile Operating Systems: iOS®, Android™ ^[23]
	(Photo Paper Plus Glossy II PP-201)	Minimum System	Window s: 2.0GB or more Mac: 1.0GB or more
		Requirements	Note: for bundled software installation. The
SCANNER SPECIFICATIONS			necessary amount of hard disk space required.
Scanner Type	CIS flatbed photo and document scanner 600 x 1200 dpi ^[6]	Software Included	Display: 1024 x 768 XGA Printer Driver
Scanner Resolution (Optical) Line Scanning Speed	600 x 1200 dpi ¹⁷ Colour: 3.5 ms/line(300dpi) ^[17]	Contrare meloded	IJ Printer Assistant Tool
the scanning speed	Greyscale: 1.5 ms/line(300dpi)		
Scanning Depth (Input / Output)	Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit		
(Input / Output) Maximum Document Size	A4/LTR		
	1		



Live for the story_

TECHNICAL SPECIFICATIONS

PHYSICAL FEATURES Weight Dimensions (W x D x H)

Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption

Typical Electricity Consumption

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

approx.7.2 kg

5-35°C

approx. 48.0dB(A) [7]

AC 100-240V, 50/60Hz

Off: Approx . 0.1W

0.16 kW h^[8]

10-90%RH (no dew condensation)

Approx, 416 x 337 x 212 mm (with travs retracted)

Approx. 416 x 556 x 268 mm (with trays extended)

Standby (IISB connection to PC): Approx 0.6W

Standby (all ports connected): Approx. 1.0W

Time to enter Standby mode: 11 minutes 1 sec Copying: Approx. 15W ^[9]

- 31 Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- (4) Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and cont inuous printing simulation with thereplacement after initial setup.
- (s) Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with thereplacement after initial setup.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [7] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- (8) Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either insleep or power-off mode for theremaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- $_{\rm [P]}$ C opy: W hen copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- (1) W ireless printing requires a working network with wireless 802.11b/g/n capability, operating at 2.4GHz. W ireless performance may vary based on terrain and distance between the printer and wireless network clients.
- 12) AiPfint functionality requires a compatible Pad, iPhone, or iPod Touch device running iCS 7.0 or later, and an AiPfint-enabled printer connected to the same network as your IOS device. A printer connected to the USB port of your/Nac, PC, AiPford Base station, or Time Capsule is not supported.
- (13) Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXWA printer on the same wreless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Ray.
- 1/4] Requires an Infernet connection and the Caron PRINT Inkjef/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPodtouch 3rd generation or later devices running (OS7.0 or Ider, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Tems of Service. Certain exceptions may apply.
- (15) Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- (14) Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desied active wireless network to complete cableless setup.
- $_{\mbox{\scriptsize [17]}}$ The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- (18) Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of pager used etc. and does not take into account warming up time.
- (19) The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed
- 20) Requires an activesmart assistant account linked and accompanying app enabled, the smart device and print er to be actively connected with permission to the Canon Inkjet Goud Printing Center, and the required action(s), skil(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be deviced at text on Amazon smart devices with screens. Only English, French and German support ed.

PIXMA G4470

[21] The Easy-PhotoPhint Editor software requires an Internet connection and is compatible with the following operating systems; Miraso off Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), maccOS Elip Signi and Viola Vi

[22] DP\$ over IP compatible device required.

- (23) Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- [24] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a st and alone app. Available for free at Google Play.
- [25] Requires an Internet connection and the Creative Park app, available for free on the App St ore and at Google Play. Compatible with IOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.
- [24] Black & white document faxtransmission speed is based on default setting using ITU-T No. 1 chart. Color document faxtransmission speed is based on default setting using Canon Color Fax Test Sheet Act ual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.
- [27] Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.

Standard disclaimers

- All specifications subject to change without natice.
 Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see
- www.canon-europe.com/ink/vield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2022



Live for the story_

FAST PRINTS. HUGE SAVINGS



A fast, cost-efficient 4-in-1 everyday printer for productive students, families and home users.

Sales Start Date: January 2023



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
PIXMA G4470	5807C009AA	4549292205800	<please fill="" in="" rrp=""></please>		

PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
GI-41PGBK	4528C001AA	4549292169522	<please fill="" in="" rrp=""></please>
GI-41C	4543C001AA	4549292169768	<please fill="" in="" rrp=""></please>
GI-41M	4544C001AA	4549292169782	<please fill="" in="" rrp=""></please>
GI-41Y	4545C001AA	4549292169805	<please fill="" in="" rrp=""></please>
Maintenance Cartridge			
MC-G04	5813C001AA	4549292206029	<please fill="" in="" rrp=""></please>

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)
PIXM A G4470	5807C009AA	Individual	1	499	494	312	11.9
		Pallet (Upper)	12	1003	991	940.5	144.5
		Pallet (Bottom)	12	1003	991	940.5	144.5

What's in the box?

- PIXMA G4470 Refillable MegaTank Inkjet Printer
- 4 high-yield ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents



Live for the story_