Data sheet

# HP Color LaserJet Pro MFP 4302dw Printer



Get a blazing fast color printer and easy management tools with LaserJet Pro.





# Highlights

- Fast print speed (33 ppm A4)
- HP Wolf Pro security
- Automatic two-sided printing standard
- High monthly duty cycle (50,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet simplex ADF scanning

### Maximum productivity in full color

- Support your business with this compact, high-performing, color printer, ideal for up to 10 users.
- Step up your workflow with blazing fast speed to meet high-demand environments.
- Avoid interruptions with Wi-Fi^ ${\rm i}$  that intelligently looks for the most stable connection to stay on-line.  $^{\rm 6}$
- Look professional on every page with high-quality printing, true-to-life colors and sharp details.  $^{\rm 14}$

#### Seamless management <sup>3</sup>

- Centralize your print management. HP Web Jetadmin easily adds and updates devices and solutions.  $^{\rm 3}$
- Set up your printers quickly so you can focus more on your business. Make it easy for your team to set up and get back to what matters.<sup>1</sup>

#### HP Wolf Pro Security

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Strengthen and simplify compliance. This upgrade applies your business policies across the fleet.<sup>7</sup>


## Sustainable printing 4,12,13

- Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing.  $^{\rm 12,13}$
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage and costs.  $^{\rm 5}$



## Product walkaround

- 1. Automatic 2-sided printing
- 2. Print speeds up to 33 ppm A4, 300-sheet standard paper capacity
- 3. 4.3-inch color touchscreen
- 4. Dual-band Wi-Fi® with self-heal, USB and Ethernet
- 5. Pre-configured security settings
- 6. HP Smart app for productivity in your hand
- 7. Designed for workteams of up to 10 users
- 8. More true-to-life colors with HP TerraJet Toner
- 9. Walk-up USB print and scan



# Accessories, Supplies and Support

Supplies	W2200A HP 220A Black Original LaserJet Toner Cartridge (~ 2,000 pages)
	W2200X HP 220X Black Original Laser Jet Toner Cartridge (~7,500 pages)
	W2201A HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages)
	W2201X HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages)
	W2202A HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages)
	W2202X HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages)
	W2203A HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages)
	W2203X HP 220X Magenta Original Laser Jet Toner Cartridge (~5,500 pages)
Accessories	28N93A HP Color Laser Jet 550 Sheet Paper Tray
Service and Support	U51Z1E HP 3 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51ZCPE HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro MFP 430x

# Technical specifications

Model	HP Color LaserJet Pro MFP 4302dw Printer
Product number	4RA83F
Functions	Print; copy, scan
Control panel	4.3" Capacitive touchscreen (all input functions)
Print	
Print technology	Laser Black (A4, normal): Up to 33 ppm Colour (A4, normal): Up to 33 ppm ; Black (A4, duplex): Up to 29 ipm Colour (A4, duplex): Up to 29 ipm
Print speed	
First page out Print resolution	Black (A4, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 10.5 sec; Black (A4, sleep): As fast as 10.2 sec Colour (A4, sleep): As fast as 10.5 sec Black (best): Up to 600 x 600 dpi Colour (best): Up to 600 x 600 dpi ; Technology: HP ImageREt 2400, PANTONE® calibrated
Monthly duty cycle <sup>7</sup>	Up to 50,000 pages A4; Recommended monthly page volume: 750 to 4,000
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print mode, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL Se, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office, TIFF, JPEG
Fonts and typefaces	111 scalable TrueType fonts
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm, Maximum print area: 212 x 352 mm
Duplex printing	Automatic
Сору	
Copy speed	Black (A4): Up to 33 cpm; Colour (A4): Up to 33 cpm
	ID Copyr, Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Save Current Settings; Restore Factory Defaults; Quality
Copier specifications	(Draft/Standard/Best); Maximum number of copies: Up to 999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed	Normal (A4): Up to 29 ppm (b&w), up to 26 ppm (color)
Scan file format	PDF; JPG; TIFF
Scanner specifications	Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: No; Optical scan resolution: Up to 600 dpi
Recommended monthly scan volume	750 to 4000
Scannable area	Maximum media size (flatbed): 216 x 297 mm ;Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	
Fax	30-01/230
Fax	No
Processor speed	1200 MHz
Connectivity	
Mobile printing capability	HP Smart App; Apple AirPrint <sup>™</sup> ; Mobile Apps; Mopria <sup>™</sup> Certified; Wi-Fi® Direct Printing
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, Apple AirPrint <sup>™</sup> , Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management; SNMPv1, SNMPv2, SNMPv3, HTTP/HTTP5, Syslog
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1 x; 802.1 1ac (Wi-Fi 5)
Memory	Standard: 512 MB NAND Flash, 512 MB DRAM (Maximum: 512 MB NAND Flash, 512 MB DRAM
Media handling	
Number of paper trays	Standard: 2 ;Maximum: 3
-	Standard: 2 ;Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Number of paper trays	
Number of paper trays Media types Media size	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm
Number of paper trays Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metrid): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4;
Number of paper trays Media types Media size Media handling	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray
Number of paper trays Media types Media size Media handling Media weight	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)
Number of paper trays Media types Media size Media handling Media weight Input capacity	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum; Up to 850 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets uncurled
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum; Up to 850 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets uncurled         Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled         Standard: Up to 150 sheets Envelopes:: Up to 20 envelopes Maximum: Up to 150 sheets         Windows 11; Windows 70; Windows Client OS; Android; IOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS         SAP; Novel!; UNIX; Citrix; Linux; Windows Server         Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF. Letter; Legal; A4; function sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 152 to 216 x 356 mm; Duplex (all trays): Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays):
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Optional Sto-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional Sto-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)       Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 50 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled         Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets       Windows 11; Windows 10; Windows 7; Windows Client OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS         SAP; Novel!; UNIX; Citrix; Linux; Windows Server       Windows: 2 GB available hard drike space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drike space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;         No software solution are included in the Box only on http://hp.com http://h2.3hp.com;         HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP Web/LetAdmin), Par Proxy Agent (Part of HP Web/LetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; to 200 g/m² HP Color laser glossy photo papers)         Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 50 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets uncurled         Standard: Up to 150 sheets Envelopes: Up to 200 g/m² HP Color laser glossy photo papers)         Windows 10; Windows 7; Windows Client OS; Android; IOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS         SAP; Novel!; UNIX; Citrix; Vindows Server         Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard dive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;         No software solutions are included in the Box only on http://hp.com http://hp.com;
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled         Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets         Windows 11; Windows 10; Windows 7; Windows Client OS; Android; i0S; macOS 12 Monterey; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS         SAP; Novel!; UNIX; Citrix; Linux; Windows Server         Windows: 2 GB available hard drike space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drike space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://123.hp.com; HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Drive; Deployment Utility - Man
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H)	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Optional Sto-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional Sto-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)       Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 50 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled         Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets       Windows 11; Windows 10; Windows 7; Windows Client OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS         SAP; Novel!; UNIX; Citrix; Linux; Windows Server       Windows: 2 GB available hard drike space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drike space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;         No software solution are included in the Box only on http://hp.com http://h2.3hp.com;         HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP Web/LetAdmin), Par Proxy Agent (Part of HP Web/LetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: So-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 50 Maximum; Up to 850 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets unculed         Standard: Up to 150 sheets       Di 50 sheets         Windows 10; Windows 7; Windows Client 05; Android; i05; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome 0S; Mobile OS         SAP; Novel!; UNIX; Citrix; Linux; Windows Server         Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;         No software solutions are included in the Box only on http://hp.com http://h2.3hp.com;         HP Web JetAdmin, Software, Security Manager, HP SINAP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrato)
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H)	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled         Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets         Windows 11; Windows 10; Windows 7; Windows Client OS; Android; i0S; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS         SAP; Novel!; UNIX; Citrix; Linux; Windows Server         Windows: 2 GB available hard dive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard dive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;         No software solutions are included in the Box only on http://hp.com http://hp.com itPW WebletAdmin, JPW VEP torAdmin, Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printi
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76,2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets uncurled         Standard: Up to 150 sheets         Windows 10; Windows 7; Windows Client OS; Android; IOS; macOS 12 Monterey; macOS 10.15 Catalina; Linux; Clirix; Chrome OS; Mobile OS         SAP; Novell; UNIX; Clirix; Linux; Windows Server         Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;         No software solutions are included in the Box only on http://hp.com http://hp.com;         HP Web JetAdmin, Software, Security Manager, HP SMMP Proxy Agent (Part of HP Web/Proxy Agent Window); To 10 50 to 70% RH (non-condensing)         Temperature: 10 to 32.5°C Humidity: 30 to 70% RH (non-condensing)         Temperature: -20 to 40°C
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; to 200 g/m² HP Color laser glossy photo papers)         Standard input: So-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets uncurled         Standard: Up to 150 sheets       Up to 150 sheets         Windows 10; Windows 7; Windows Client OS; Android; IOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Clirix; Chrome OS; Mobile OS         SAP; Novel!; UNIX; Clirix; Linux; Windows Server       Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard dive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;         No software solutions are included in the Box only on http://hp.com http://hp.com; HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Printt Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator)
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics <sup>6</sup> Power <sup>5</sup>	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, preycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76, 2: N127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 355 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional ISO-sheet tray 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> postcards, up to 200 g/m <sup>2</sup> HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 51 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelope Maximum: Up to 150 sheets Windows 11; Windows 7; Windows Citent 05, Android; 05; macc05 12 Monterey; mac05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Noveli; UNIX; Citrix; Clinux; Windows 5; Windows Citent 05, Android; 05; macc05 12 Monterey; mac05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Noveli; UNIX; Citrix; Linux; Windows 5; Windows 5; Wendows 5; Par additional 05 hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box nnly on http://1p.com http://123.hp.com; HP Web letAdmin Software; Security Manager (HP SMMP Poxy Agent (Part of HP WebletAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver Configuration, Utility - Drive; Deployment Utility - Managed Printing Administrator
Number of paper trays Media types Media types Media size Media weight Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer dimensions (W × D × H) Printer weight Storage conditions Acoustics <sup>6</sup>	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes         Custom (metric) Simples: Tray 1: 76: 2.x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm         Standard input: 50-sheet intulturyopse tray, 250-sheet hout tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional S50-sheet tray         60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray)         61 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)         Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 40 to 20 envelopes Maximum: Up to 150 sheets         Windows 11; Windows 11; Windows 7; Windows Client 05; Android; I05; macOS 12 Monterey; macOS 10.15 Catalina; Linux; Cltrix; Chrome 05; Mobile OS         SAP; Noveli; UNIX; Ctrix; Linux; Windows Server         Windows 2 6B available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 G available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Max 2 G available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; Max 2 G available hard disk space; Internet connection or USB por
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics <sup>6</sup> Prover <sup>5</sup> Energy savings feature technology	Paper (bond, brodure, colored, glossy, letterhead, phota, plain, preprinted, pregunched, recycled, rough), postcards, labels, envelopes Custom metric? Simplex, Tray 17, 52, 81, 27, 10, 21, 63, 356 mm, Tray 2, 98, 148 mm to 216 x 356 mm, optional Tray 3: 100 x 148 to 216 x 356 mm, Duplex (fall trays): 148 x 148 mm to 216 x 356 mm, ADP: Letter; Legal; A4; custom size: 10, 50, sheet multipurpose tray, 250-sheet input trays, 50-sheet Automatic Document Feeder (ADP) <b>Standard output</b> : 150-sheet output bin <b>Optional Input</b> : Optional 550-sheet tray 60 to 163 glm <sup>2</sup> (up to 176 glm <sup>2</sup> postcards, up to 200 glm <sup>2</sup> HP Color laser glossy photo papers) Tray 1: Sheets; So, envelopes: 51 Tray 2: Sheets; 250, methodes: 51 Tray; 2: Sheets; 250, methode; 150, 554, method; 250, sheets; 1: Mindows; 1: Windows; 7: Windows Clent OS; Android; 0S; matcOS 12 Monterey, matOS 11 Big Sur; matOS 10.15 Catalina; Linux; Cltrix; Cltrix; Linux; Windows; Sheets; 250, method; 25, methode; 25, method; 25, method; 25, method; 25, method; 26, m
Number of paper trays Media types Media types Media size Media handing Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer dimensions (W X D X H) Printer dimensions Softage conditions Acoustics <sup>6</sup> Power <sup>5</sup> Energy savings feature technology Certifications <sup>2</sup>	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepundted, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 21 k 356 mm; Tay 2: 98 x 148 mm to 216 x 356 mm; Duptional Tray 3: 100 x 148 to 216 x 356 mm; Duptiex (all trays): 148 x 148 mm to 216 x 356 mm; ADP: Letter; Legal; A4; custom szec 100; x 150 to 216 x 300-heet input tray, 50-heet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional Isput: Optional 550-sheet tray 60 to 153 glm <sup>4</sup> (up to 176 glm <sup>4</sup> postcards, up to 200 glm <sup>2</sup> HP Color laser glossy photo papers) Tray 1: Sheets: Sing Sing (up to 150 sheets Envelopes: UD to 20 servelspores F30; 200 glm <sup>2</sup> HP Color laser glossy photo papers) Tray 1: Sheets: Sing Sing (up to 150 sheets Envelopes: UD to 20 servelspores F30; 200 glm <sup>2</sup> HP Color laser glossy photo papers) Sandard: Up to 150 sheets Envelopes: UD to 20 envelopes Maximum; Up to 850 sheets (with Optional 550-sheet tray) ADP: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum; Up to 150 sheets Windows 11; Windows 7; Windows Client OS; Android; OS; mac/OS 12 Monterey, mac/OS 11 Big Sur; mac/OS 10.15 Catalina; Linux; Cliric; Chrome OS; Mobile OS SAP; Novel; UNK; Ctiric: Linux; Windows Server Windows: 2 Gla available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see applic.com; No software solutions are included in the Box only on http://12.2h.com; HP Web LetRAmin, Goftware, Scurity Magazer, HP SMH tray, Jate; MA
Number of paper trays           Media types           Media types           Media size           Media size           Media handling           Media weight           Input capacity           Compatible operating systems           Compatible operating systems           Software included           Printer management           Dimensions and weight           Printer dimensions (W × D × H)           Printer dimensions           Acoustics <sup>6</sup> Power <sup>5</sup> Energy savings feature technology           Certifications <sup>2</sup> Sustainable impact specifications	Paper (band, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, mugh), postcards, labels, envelopes Castom (metric) Simples: Tray 1: 76 x 12 f x 356 mm, 12 f x 356 mm, 21 f x 356 m
Number of paper trays           Media types           Media types           Media types           Media size           Media size           Media handling           Media veight           Input capacity           Output capacity           Compatible operating systems           Compatible network operating systems           Software included           Printer management           Dimensions and weight           Printer dimensions (W × D × H)           Printer weight           Operating environment           Storage conditions           Acoustics <sup>6</sup> Power <sup>5</sup> Energy savings feature technology           Certifications <sup>2</sup> Sustainable impact specifications           Country of origin	Paper Bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rocychi, labels, envelopes Cutor Interfici. Simplice: Fray 1:76:24:127 to 216:336 mm; Tray 2:98x 148 mm to 216 x 336 mm; optional Tray 3:100 x 148 to 216 x 336 mm; Diplex (all trays): 148 x 148 mm to 216 x 356 mm; Diplex (all trays): 148 x 148 mm; D

#### Footnotes

<sup>1</sup> Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

<sup>2</sup> Requires use of Smart Admin Dashboard for printer setup and onboarding of users.

<sup>3</sup> HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

<sup>4</sup> HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart

<sup>5</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
 <sup>6</sup> Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 112 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting.

<sup>7</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

<sup>12</sup> Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetplasticreductions.

<sup>13</sup> HP calculations based on Energy Star® normalized TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetenergysaving.

<sup>14</sup> Standard print mode for HP Color Laser Jet Pro series with HP TerraJet technology compared to predecessors. See hp.com/TerraJetcolors.

#### Technical specifications disclaimers

<sup>1</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result. Please be aware that HP LaserJet Pro 4201 and MFP 4301 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4202 and MFP 4302 series meet ecolabel energy efficiency limits.

<sup>2</sup> EPEAT<sup>®</sup> registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

<sup>3</sup> For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

<sup>5</sup> Values based on 115V test results based on ES test method.

<sup>6</sup> Configuration tested: base model, simplex printing, A4 paper at an average of 33 ppm.

<sup>7</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. gb-en May 2023

