PIXMA G3430

FAST PRINTS. HUGE **SAVINGS**



A fast, cost-efficient 3-in-1 everyday printer with Wi-Fi for productive students, families and home users.







Ultra-low running costs

Make huge savings over the printer's lifetime thanks to refillable high-yield ink tanks. Print 3,1001 black ink pages (3,900 in Economy) and 4,400¹ colour ink pages (4,600 in Economy)

· Simple operation

Easy, straightforward day-to-day use thanks to clear buttons and single-action print head installation

High-speed productivity

Get your documents faster thanks to print speeds of 11.0 ipm (mono) and 6.0 ipm (colour)

Easy at-home maintenance

Keep downtime to a minimum thanks to the user-replaceable maintenance cartridge and mechanical ID no-squeeze ink bottles

Wireless connectivity

Print seamlessly from a range of devices with Wi-Fi connectivity and support for PIXMA Cloud Link, Canon PRINT app, Apple AirPrint and more

Work with more media

Get creative at home with the ability to print on magnetic and matte photo paper

Optional high yield ink bottles

Boost productivity to 6,000¹ black ink pages (7,600 in Economy) and 7,700¹ colour ink pages (8,100 in Economy) with high yield bottles



Economy mode





Connectivity

Rear Feeding Capacity

PRODUCT RANGE

3-in-1



PIXMA G1430



PIXMA G2470



PIXMA G3430

PIXMA G2430 PIXMA G1430 PIXMA G2470 PIXMA G3430 PIXMA G3470 series

PIXMA G4470



Live for the story

TECHNICAL SPECIFICATIONS

PIXMA G3430

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS Print Resolution

Print Technology

Mono Print Speed Colour Print Speed Photo Print Speed **Borderless Printing**

Two Sided Printing

CARTRIDGES AND YIELDS

Standard Ink Cartridges

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PAPER SUPPORT

Paper Types

Maximum Paper Input Paper Sizes

Paper Weight

Wi-Fi, Print, Scan & Copy, Cloud

Up to $4800 \times 1200 \, \mathrm{dpi}^{\,[1]}$

2 FINE Print Head (Black and Colour) Refillable ink tank printer approx. 11 ipm [2]

approx. 6.0 ipm ^[2]

Borderless 10x15cm: Approx. 45 seconds [3]

163 A4, B5, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89 mm x 89 mm), Square(127 mm x 127 mm), Card Size(91 mm x 55 mm) ^[14]

Manual operation

Standard ink bottles (included)

GI-41S < PGBK > GI-41S <C> GI-415 < M> GI-41S <Y>

High Yield Ink bottles (optional)

GI-41 <PGBK> GI-41 <C> GI-41 <M> GI-41 <Y>

A4 colour documents printing [4]

Standard Yield Ink Bottles (included) Black: 3,100 pages (Economy mode 3,900 pages) [18] Colour: 4,400 pages (Economy mode 4,600 pages) [18]

High Yield Ink Bottles (optional)
Black: 6,000 pages (Economy mode 7,600 pages) [18]

Colour: 7,700 pages (Economy mode 8,100 pages) [18] * Estimated supplemental yield

10x15cm colour photo printing ^[5] Colour: 2,200 photos * Estimated supplemental yield

Plain Paper

Red Label Superior 80 g/m² (WOP111), Canon Oce Office Colour Paper 80 g/m² (SAT213)

Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N),

Envelope. Photo Paper Plus Semi-gloss (SG-201), Greeting Card

(manufactured by Avery and RedRiverPaper), Cardstock

(manufactured by Neenah Paper and INKPRESS), Restickable Photo Paper(RP-101)

Magnetic Photo Paper(MG-101)
Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper)

A4 A5 A6 B5 LTR LGL Executive (184.2 mm x 266.7 mm), Legal(215 mm x 345 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL, Envelopes COM10, Envelopes C5, Square (89 mm x 89 mm), Square (127 mm x 127 mm), Card Size(91 mm x 55 mm)

[Custom size] width 55 mm - 216 mm, length 89 mm - 1200 mm Rear Tray: Plain paper: 64 - 105 a/m²

Canon specialty paper: max paper weight : approx. 265 g/m (Photo Paper Plus Glossy II PP-201)

SCANNER SPECIFICATIONS

Scanner Type Scanner Resolution (Optical) Line Scanning Speed

Scanning Depth (Input / Output) Maximum Document Size

COPIER SPECIFICATIONS

Copy Speed

Copy quality Intensity adjustment Multiple Copy Copy Functions

Copy Zoom

GENERAL Standard Interface

> Mobile Apps (iOS®/ ANDROID™)

Printer Features

Smart Assistant & **Automation Support** OS Compatibility

Minimum System

Requirements

Software Included

PHYSICAL FEATURES Weiaht

Dimensions (W x D x H)

Acoustic Noise Levels Operating Temperature Operating Humidity Power Source Power Consumption

Typical Electricity

CIS flatbed photo and document scanner

600 x 1200 dpi [6]

Colour: 3.5 ms/line(300dpi) [16] Grevscale: 1.5 ms/line(300dpi)[16] Colour: RGB each 16bit/8bit Grevscale: 16 bit / 8 bit A4/ITR

sECOT: Approx. 23 sec. [17] sESAT: Approx. 2.7 ipm [17] 3 levels (Economy, Standard, High) 9 positions, Auto intensity (AE copy)

99 copies (max.)

Document Copying, Photo Copying, Borderless copy, 2-on-1 and 4-on-1 copy, Frame erase copy, ID copy

25 - 400% (in 1% increments)

Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5

Hi-Speed USB (USB B Port) Wi-Fi: IEEE802.11 b/g/n

Wi-Fi. IEEE002: 11 D/g/TI
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
Administration password

Wireless LAN Frequency Band: 2.4 GHz Wireless PictBridge [21] Canon PRINT app

Canon PRINT app [24]
Creative Park app [24]
Easy-PhotoPrint Editor app [20] Easy-PhotoPrint Editor Software [20]

Canon Print Service Plugin (Android) [23]
Apple AirPrint [11]
Wireless Direct [12]

Mopria (Android) [12] Amazon Alexa™⁽¹⁾ Google AssistantTM [19]

Windows 11, Windows 10, Windows 8.1,

Windows 7 SP1
Operation can only be guaranteed on a PC with

pre-installed Windows 7or later.
Printer driver, IJ Printer Assistant Tool and IJ Network Device Setup Utility are available with following OS. Windows Server 2008 R2 SP1, Windows Server 2012 R2,

Windows Server 2016, Windows Server 2019, Windows Server 2022

Mac: OS X 10.14.6 ~ macOS 12,

Mobile Operating Systems: iOS®, Android™ [22]

Windows: 2.0GB or more Mac: 1.0GB or more Note: for bundled software installation.

The necessary amount of hard disk space required. Display: 1024 x 768 XGA

Printer Driver IJ Printer Assistant Tool

approx. 6.0 ka

Chrome OS

Approx. 416 x 337 x 177 mm (with trays retracted) Approx. 416 x 557 x 268 mm (with trays extended)

approx. 48.5dB(A) [7]

5-35°C

10-90%RH (no dew condensation) AC 100-240V 50/60Hz

Off: Approx. 0.1W

Standby (USB connection to PC): Approx. 0.6W Standby (all ports connected): Approx. 1.1W Time to enter Standby mode: 11 minutes 4sec Copying: Approx. 15W ^[9] 0.17 kWh ^[8]



TECHNICAL SPECIFICATIONS

PIXMA G3430

Footnotes:

- III Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- 151 Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473
- [7] Plain Paper (A4, B/W). Acoustic Noise is measured based on ISO7779 standard
- Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that if will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- P) Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- 1191 Wireless printing requires a working network with wireless) capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- [11] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- IV3 Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- (13) Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play, Compatible with iPad, iPhone 3GS or later, and iPad touch 3rd generation or later devices running 105.7, 0 or later, and Android mobile devices running Android 2.3, 3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [14] Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- [15] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [14] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- 1.17 Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [18] The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed
- 119 Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- ™ The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Aiz? 2nd Generation, iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Atlist export data, EasyPhoto+ export data, EasyPhoto+Print Editor export data.
- [21] DPS over IP compatible device required.
- [22] Some functions may not be available with these Operating Systems. Please refer to the manual or
- [23] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- 124 Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with IOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.

Standard disclaimer

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type
 of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2023



FAST PRINTS. HUGE SAVINGS

PIXMA G3430

A fast, cost-efficient 3-in-1 everyday printer with Wi-Fi for productive students, families and home users.

Sales Start Date: March 2023



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
PIXMA G3430	5989C009AA	4549292213287	<please fill="" in="" rrp=""></please>		

PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
Large size				
GI-41 PGBK	4528C001AA	4549292169522	<please fill="" in="" rrp=""></please>	
GI-41 C	4543C001AA	4549292169768	<please fill="" in="" rrp=""></please>	
GI-41 M	4544C001AA	4549292169782	<please fill="" in="" rrp=""></please>	
GI-41 Y	4545C001AA	4549292169805	<please fill="" in="" rrp=""></please>	
Standard size				
GI-41S PGBK	5859C001AA	4549292209761	<please fill="" in="" rrp=""></please>	
GI-41S C	5874C001AA	4549292209891	<please fill="" in="" rrp=""></please>	
GI-41S M	5875C001AA	4549292209921	<please fill="" in="" rrp=""></please>	
GI-41S Y	5876C001AA	4549292209938	<please fill="" in="" rrp=""></please>	
Maintenance Cartridge				
MC-G04	5813C001AA	4549292206029	<please fill="" in="" rrp=""></please>	

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA G3430	5989C009AA	Individual	1	499.0	494.0	227.0	9.7	6.0
		Pallet (Upper)	16	1003.0	991.0	1112.5	157.0	96.0
		Pallet (Bottom)	16	1003.0	991.0	1112.5	157.0	96.0

What's in the box?

- PIXMA G3430 Refillable MegaTank Inkjet Printer
- 4 standard ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents
- Setup CD-ROM (CD only for Windows)

Canon