# PIXMA TS7650i

# THE SMART, HIGH-QUALITY 3-IN-1 WITH STUNNING PRINTS

A fast, high-quality printer that seamlessly slots into your home life thanks to its compact size and streamlined controls.







## Simple, intuitive UI

Enjoy effortless operation with the streamlined, customisable Switch UI system, which tailors available functions to your needs: work, study or lifestyle

# Fast printing

Get your documents quickly with fast print speeds of 15ipm (mono) and 10ipm (colour), and print a borderless 4x6" photo in just 19 seconds

# Outstanding print quality

The PIXMA TS7650i's FINE print head technology results in excellent print quality for a compact printer, with rich gradation and reduced graininess

## Mobile printing

Printing from mobile devices couldn't be easier, thanks to support for Apple AirPrint, Mopria, Google Cloud Print and the Canon PRINT app

# Superb productivity

Save time with smart productivity features including one-push copy, automatic two-sided printing and scan to smartphone

# Wireless connectivity

Print wirelessly from a wide range of devices by connecting to your home network, or connect straight to the printer with Wireless Direct













## **PRODUCT RANGE**



Canon PIXMA TS7650i



Canon PIXMA TS7750i

# Canon PIXMA TS7650i

Canon PIXMA TS7750i



# **TECHNICAL SPECIFICATIONS**

# PIXMA TS7650i

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS

Print Resolution Print Technology

Mono Print Speed Colour Print Speed

Photo Print Speed

**Borderless Printing** 

Two Sided Printing

CONSUMABLES AND **INK YIELDS** Standard Ink Cartridaes

Optional XL Ink Cartridges

Maintenance cartridae Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PAPER SUPPORT Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS

Scanning Depth (Input / Output) Maximum Document Size

Scanner Resolution (Optical)

1200 x 2400 dpi [4]

Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit

COPIER SPECIFICATIONS

Copy Speed

Copy Zoom

Borderless 10x15cm: Approx. 19 seconds [2] A4, B5, LTR, 4" x 6", 5" x 7", 8" x 10",

2 FINE Cartridges (Black and Colour)

Card Size (91 mm x 55 mm), Square (89 mm x 89 mm),

Square (127 mm x 127 mm)

Wi-Fi, Print, Copy, Scan, Cloud

Up to 1200 <sup>[1]</sup> x 1200 dpi

Approx. 15.0 ipm Approx. 10.0 ipm [2]

Auto Duplex Print (A4, LTR - Plain Paper)

PG-585 (Black) CL-586 (Colour) PG-585XL (Black) CL-586XL (Colour)

MC-G06 (User Replaceable)

A4 colour documents printing [3] Black: 180 pages Black XL: 300 pages Colour: 180 pages Colour XL: 300 pages 10x15cm photo Colour: 65 pages

Colour XL: 109 pages

Plain Paper(64 g/m<sup>2</sup> - 105 g/m<sup>2</sup>), Canon Red Label Superior (WOP111)
Canon Oce Office Colour Paper (SAT213) Photo Paper Pro Platinum (PT-101), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-gloss (SG-201), Glossy Photo Paper "Everyday Use" (GP-501)

Matte Photo Paper (MP-101), Photo Paper Plus Glossy II (PP-201) Dark Fabric Iron on Transfers (DF-101). Light Fabric Iron on Transfers (LF-101) Rear Tray: Max. 20 sheets (photo paper) or

Max. 100 sheets (plain paper)
Front Cassette: Max. 100 sheets (plain paper) Rear Tray: A4, A4 Art paper, A5, B5, LTR, LTR Art paper, LGL, #10 Envelope, DL Envelope,

Card Size (91 mm x 55 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89 mm x 89 mm, 127 mm x 127 mm),

(width: 55 mm - 215.9 mm, length: 89 mm - 1200 mm)

Front Cassette: A5,A4,B5,LTR

Plain Paper: 64 g/m<sup>2</sup> - 105 g/m<sup>2</sup>, or supported genuine Canon papers

Canon paper: max paper weight: approx. 300 g/m<sup>2</sup> (Photo Paper Pro Platinum PT-101)

Flatbed, CIS colour scanner

Flatbed: A4, LTR (216 x 297mm)

Multiple Copy Copy Functions

INTERFACE Display Type & Size Display Languages

CONNECTIVITY Standard Interface

Mobile Apps

Printer Features

Supported Operating Systems

Supported Mobile Systems Operational Requirements

PHYSICAL FEATURES Weight Dimensions (W x D x H)

**Acoustic Noise Levels** 

Recommended Operating Environment Power Source Power Consumption

sFCOT: Approx. 18 sec. <sup>[5]</sup> sESAT: Approx. 7.0 ipm <sup>[5]</sup> 99 copies max.

Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy (Flatbed only), ID copy, Oversized copy, Tiling copy

25 - 400% Fit to page

2.7 inch/6.7cm LCD(Touch Screen, Color)

33 Languages Selectable: Japanese/English (mm & inch)/German/French/Italian/Spanish/Dutch/ Portuguese/Norwegian/Swedish/Danish/Finnish/ Russian/Czech/Hungarian/Polish/Slovene/Turkish/ Greek/Simplified Chinese/Traditional Chinese/ Korean/Indonesian/Slovakian/Estonian/Latvian/ Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/

Croatian/Vietnamese

Hi-Speed USB (B Port)

Wi-Fi IEEE802.11 b/g/n <sup>[8]</sup> Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP Wireless LAN Frequency Band: 2.4GHz/5GHz

Canon PRINT app [9]
Easy-PhotoPrint Editor app [10]

Creative Park app [1]

Easy-PhotoPrint Editor Software [12] PIXMA Cloud Link

Canon Print Service Plugin (Android) [14]
Apple AirPrint [15] Wireless Direct [16] Mopria (Android) [17] PosterArtist Web

Windows 11, Windows 10, Windows 8.1,

Operation can only be guaranteed on a PC with

pre-installed Windows 7 or later.

macOS 10 15.7 ~ macOS 13

iOS, iPadOS, Android, ChromeOS [18] Display: 1024 x 768 XGA

approx.6.3 kg

With the trays retracted approx. 374 x 350 x 168 mm With the trays extended: Approx. 374 x 563 x 276 mm approx. 48.0(A) [6]

Temperature: 15-30°C

Humidity: 10-80%RH (no dew condensation) AC 100-240V, 50/60Hz

Off: Approx. 0.1W

Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.5W

(scanning lamp is off)

Time to enter Standby mode: 10min Copying: Approx. 21W [7]



# TECHNICAL **SPECIFICATIONS**

# PIXMA TS7650i

### Footnotes

- Ink droplets can be placed with a minimum pitch of 1/1200 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode,
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host compute
- Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous
- [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard
- [5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- (a) Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.
- When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings
- (8) Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the pri wireless network clients.
- Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play, Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [10] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit/3  $Windows \ 7 \ SP1 \ (64-bit/32-bit), macOS \ High \ Sierra \ v10.13, macOS \ Sierra \ v10.12, MacOS \ X \ El \ Capitan \ v10.10.5. Minimum \ Windows \ and \ macOS/MacOS \ X \ requirements \ are:$ 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy PhotoPrint Editor export data.
- Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.

  12) The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the follows.
- operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running IOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG,  $HEIF (devices running iOS\,11\ and\ mac\,OS\,v10.13\ or\ later), DLP\ save\ data, Poster\ Artist\ export\ data. EasyPhoto+export\ data, Easy-PhotoPrint\ Editor\ export\ data.$
- [13] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play, Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certa exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy PhotoPrint Editor export data.
- (14) Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a
- standalone app. Available for free at Google Play.

  11-5] AirPrint functionality requires a compatible iPad, iPhone, or iPad Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.

  (14) Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the
- desired active wireless network to complete cableless setup.

  177 Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service
- pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play
- [18] Some functions may not be available with these Operating Systems. Please refer to the manual o website for details.

- All specifications subject to change without notice.
   Print speed may vary depending on system configuration, interface, software, document complex print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see http://www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- All brand and product names are trademarks of their respective companies.

  Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2023

# THE SMART, HIGH-QUALITY 3-IN-1 WITH STUNNING PRINTS

# PIXMA TS7650i

A fast, high-quality printer that seamlessly slots into your home life thanks to its compact size and streamlined controls.

Sales Start Date: October 2023



## PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
PIXMA TS7650i	6256C006AA	4549292221329	<please fill="" in="" rrp=""></please>	

## PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
PG-585	6205C001AA	4549292223378	<please fill="" in="" rrp=""></please>
CL-586	6227C001AA	4549292223408	<please fill="" in="" rrp=""></please>
XL size			
PG-585XL	6204C001AA	4549292223361	<please fill="" in="" rrp=""></please>
CL-586XL	6226C001AA	4549292223408	<please fill="" in="" rrp=""></please>
Maintenance Cartridge			
MC-G06	6259C001AA	4549292221497	<please fill="" in="" rrp=""></please>

# MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS7650i	6256C006AA	Individual	1	517.0	239.0	443.0	8.8	6.3
		Pallet (Upper)	16	1042.0	964.0	890.5	142.3	100.8
		Pallet (Bottom)	24	1042.0	964.0	1333.5	212.7	151.2

# What's in the box?

- Canon PIXMA TS7650i
- FINE cartridges
- · Power cord
- · Manuals and other documents

